

KALDEWEI



KALDEWEI

KALDEWEI was founded in 1918, and today it is the fourth generation that is devoted to the combination of steel and enamel with such passion. This was the only way to achieve an exceptional fusion that guarantees the special KALDEWEI quality and durability.

KALDEWEI STEEL ENAMEL WITH 30 YEARS GUARANTEE


Steel and glass - two entirely authentic and natural materials, used for centuries, and each with its own inherent material properties. Steel signifies strength, toughness, robustness and optimum ductility. Glass is highly resistant to chemical or thermal stress and has an excellent appearance. KALDEWEI steel enamel combines robust steel and tough glass to form an inseparable bond harnessing the strengths of each material in perfect symbiosis. As a pioneer consistently pushing the boundaries to make the good even better, KALDEWEI has steadily advanced, refined and optimised the special formula and manufacturing processes of KALDEWEI steel enamel for almost a century now. KALDEWEI steel enamel guarantees lasting quality that remains visible, tangible and irresistible day after day.

TOTALLY INCOMPARABLE




HEAT RESISTANT

Burning and smouldering objects do not leave marks on the surface.




SCRATCH AND IMPACT RESISTANT

KALDEWEI steel enamel combines the inherent properties of steel and glass, making it highly resistant to mechanical stress.



UV RESISTANT

Thanks to the unique material properties of KALDEWEI steel enamel, our products retain their original colour without fading or yellowing.




DIMENSIONALLY STABLE

KALDEWEI products hardly expand at all in temperature fluctuations, thereby minimising the risk of cracked joints or damage from moisture penetration in the bathroom.



EASY TO CLEAN AND HYGIENIC

The glass-hard surface of KALDEWEI steel enamel leaves no place for dirt and bacteria to settle, meaning it is supremely hygienic and easy to clean.



CHEMICAL RESISTANT

Common household detergents, cosmetics or bath additives will not harm KALDEWEI steel enamel.



SUSTAINABLE

Bathroom products made of KALDEWEI steel enamel are produced from the natural materials glass and steel, and can be fully recycled.

MOHS SCALE

Density	1	2	3	4	5	6	7	8	9	10
Material	Tallow, candles	Plasterboard - Plaster	Synthetics, paint	Marble	Iron	Steel	Enamel, Porcelain, Glass	Topaz	Sapphire	Diamond
Wear resistance	very low		low	adequate	good		very good	exceptionally good		



MEISTERSTÜCK

MEISTERSTÜCK OYO DUO	8
MEISTERSTÜCK CENTRO DUO OVAL	12
MEISTERSTÜCK CENTRO DUO 1	14
MEISTERSTÜCK CENTRO DUO 2	18
MEISTERSTÜCK CLASSIC DUO OVAL	20
MEISTERSTÜCK CONODUO	24
MEISTERSTÜCK CONODUO 1	26
MEISTERSTÜCK CONODUO 2	30

KALDEWEI

BATHING

BATH COLOURS	7
ASYMMETRIC DUO	32
CENTRO DUO	34
CENTRO DUO 1	36
CENTRO DUO 2	40
CENTRO DUO OVAL	42
CONODUO	44
ELLIPSO DUO OVAL	48
CLASSIC DUO	52
CLASSIC DUO OVAL	54
DYNA SET	60
PURO SIDE OVERFLOW	62
VAIO SET	64
CAYONO WIDE	66
CAYONO	68
CAYONO DUO	72
SANIFORM PLUS	76
SANIFORM DEEP	82
EUROWA	84

EQUIPMENT ACCESSORIES TECHNOLOGY EXPERIENCE

MEISTERSTÜCK MULTIPOINT SPA SYSTEMS	4
MULTIPOINT SPA SYSTEMS	5
KALDEWEI Bath Experience Accessories	
SOUNDWAVE	101
CUSHIONS	102
Inflow and Outflow Technology	
BATH WASTE, OVERFLOW AND MULTIFILLER UNITS	103
WASTES FOR BASINS & SHOWER FLOORS	103
Installation and Repairs	
INSTALLATION AIDS	104
REPAIR AIDS	104
Australian Distribution	
GENERAL INFORMATION	105

WASHBASIN

BASIN COLOURS	88
CENTRO UNDERCOUNTER	89
CONO UNDERCOUNTER	90
MIENA COUNTERTOP	91
MING COUNTERTOP	93
CLASSIC UNDERCOUNTER	94
CAYONO	
COUNTERTOP	95
UNDERCOUNTER	96
PURO	
WALL HUNG	97
COUNTERTOP	98
UNDERCOUNTER	99
SILENIO UNDERCOUNTER	100

MULTIPOINT SPA SYSTEMS FOR MEISTERSTÜCK BATHS

***HYDRO SYSTEMS FOR 1129, 1136, 1130, 1137, 1131, 1135, 1702, 1703, 1712,1713, 1722 & 1723 MODELS ONLY**
****AIR SYSTEMS FOR ALL MODELS**



	Model Order No.				
PACKAGED HYDROTHERAPY SYSTEMS <ul style="list-style-type: none"> • Non Customised • 14 or 20 Hydro Jets 	22-14PACKKM-(XX) 22-20PACKKM-(XX)				
CUSTOMISED HYDROTHERAPY SYSTEMS <ul style="list-style-type: none"> • Customised Hydro Jets • 16, 18, 20, 22 or 24 Jets 	22-16CKM-(XX) 22-18CKM-(XX) 22-20CKM-(XX) 22-22CKM-(XX) 22-24CKM-(XX)				
PROFESSIONAL HYDROTHERAPY SYSTEMS <ul style="list-style-type: none"> • 30, 36 or 40 Hydro Jets 	22-30PACKKM-(XX) 22-36PACKKM-(XX) 22-40PACKKM-(XX)				
AIR SPA SYSTEMS <ul style="list-style-type: none"> • 12 or 18 Air Jets 	22-12AIRKM 22-18AIRKM				
HYDRO SPA SYSTEMS Standard pump with pneumatic ON/OFF and Air Control <ul style="list-style-type: none"> • 6 Hydro Jets 	22-6CKM-CP				

HOW TO ORDER MULTIPOINT:

1. CHOOSE YOUR BATH

- From this pricelist or on our website, www.bathe.net.au.

2. SELECT THE ORDER FORM FOR YOUR PREFERRED SYSTEM

- Order Forms can be found on the Bathe website, www.bathe.net.au, under the Multipoint brand, or email request to sales@bathe.net.au.
- Establish the customer's requirements and which system best suits their needs.

3. COMPLETE THE ORDER FORM

- Discuss the Order Form with your customer and check that all information has been completed.
- Form must be signed before the order can be processed.
- Once all information has been finalised, the spa will be created and tested ready for delivery:
 - **Chrome jets: 3 to 4 weeks from order**
 - **Special finish jets: 4 to 6 weeks from order**

➤ Any questions, our experienced team are happy to help. Please contact Bathe on 02 9509 0000 or sales@bathe.net.au.

MULTIPOINT SPA SYSTEMS

MULTIPOINT SPA SYSTEMS (Excludes Meisterstück Baths)



	Model Order No.					
PACKAGED HYDROTHERAPY SYSTEMS <ul style="list-style-type: none"> • Non Customised • 14 or 20 Hydro Jets 	22-14PACKK-(XX) 22-20PACKK-(XX)					
CUSTOMISED HYDROTHERAPY SYSTEMS <ul style="list-style-type: none"> • Customised Hydro Jets • 16, 18, 20, 22 or 24 Jets 	22-16CK-(XX) 22-18CK-(XX) 22-20CK-(XX) 22-22CK-(XX) 22-24CK-(XX)					
PROFESSIONAL HYDROTHERAPY SYSTEMS <ul style="list-style-type: none"> • 30, 36 or 40 Hydro Jets (not suitable for all bath models) 	22-30PACKK-(XX) 22-36PACKK-(XX) 22-40PACKK-(XX)					
AIR SPA SYSTEMS <ul style="list-style-type: none"> • 12 or 18 Air Jets 	22-12AIRK 22-18AIRK					
HYDRO SPA SYSTEMS Standard pump with pneumatic ON/OFF and Air Control <ul style="list-style-type: none"> • 6 Hydro Jets 	22-6CK-CP					

HOW TO ORDER MULTIPOINT:

1. CHOOSE YOUR BATH

- From this pricelist or on our website, www.bathe.net.au.

2. SELECT THE ORDER FORM FOR YOUR PREFERRED SYSTEM

- Order Forms can be found on the Bathe website, www.bathe.net.au, under the Multipoint brand, or email request to sales@bathe.net.au.
- Establish the customer's requirements and which system best suits their needs.

3. COMPLETE THE ORDER FORM

- Discuss the Order Form with your customer and check that all information has been completed.
- Form must be signed before the order can be processed.
- Once all information has been finalised, the spa will be created and tested ready for delivery:
 - **Chrome jets: 3 to 4 weeks from order**
 - **Special finish jets: 4 to 6 weeks from order**

➤ Any questions, our experienced team are happy to help. Please contact Bathe on 02 9509 0000 or sales@bathe.net.au.

FOR THE SAKE OF THE ENVIRONMENT

Luxsustainable Bathroom Solutions



100% Luxsustainability for your home.

Designed and produced responsibly for our earth.



Recyclable



30 Year Guarantee



Made in Germany

BATH COLOUR & STYLE

COLOUR OVERVIEW FOR BATHS

	CPG (I)	Sanitary Colours (II, III)				Coordinated Colours (IV)																
	alpine white	bahama beige	manhattan	pergamon	black	alpine white matt	warm beige 20	warm beige 40	warm grey 10	warm grey 30	warm grey 50	warm grey 60	warm grey 70	warm grey 80	warm grey 85	warm grey 90	cool grey 30	cool grey 40	cool grey 70	cool grey 80	cool grey 90	black matt 100
MEISTERSTÜCKE OYO DUO	Colour code 0001					Colour code 0711	Colour code 0661		Colour code 0668			Colour code 0671					Colour code 0663		Colour code 0665		Colour code 0667	Colour code 0676
MEISTERSTÜCKE	Colour code 0001																					
Freestanding BATHUBS PANELLING*	Colour code 0001				Colour code 0701	Colour code 0711																Colour code 0676
ASYMMETRIC DUO	Colour code 0001	Colour code 0030	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661		Colour code 0668			Colour code 0671					Colour code 0663		Colour code 0665		Colour code 0667	Colour code 0676
CAYONÓ (DUO)	Colour code 0001	Colour code 0030	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661															
CENTRO DUO (OVAL)	Colour code 0001	Colour code 0030	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661		Colour code 0668			Colour code 0671					Colour code 0663		Colour code 0665		Colour code 0667	Colour code 0676
CLASSIC DUO (OVAL)	Colour code 0001	Colour code 0030	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661															Colour code 0676
CONODOO	Colour code 0001	Colour code 0030	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661		Colour code 0668			Colour code 0671					Colour code 0663		Colour code 0665		Colour code 0667	Colour code 0676
DYNA SET	Colour code 0001	Colour code 0030	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661															
ELLIPSO DUO (OVAL)	Colour code 0001	Colour code 0030	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661		Colour code 0668			Colour code 0671					Colour code 0663		Colour code 0665		Colour code 0667	Colour code 0676
PLAZA DUO	Colour code 0001	Colour code 0030	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661															
PURO	Colour code 0001	Colour code 0030	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711																
SANIFORM	Colour code 0001	Colour code 0030	Colour code 0199	Colour code 0231	Colour code 0701																	
VAIO (DUO)	Colour code 0001	Colour code 0030	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661															

*For the bathtub colours available see the respective model family.

Bathtubs with Skin Touch are available in white, manhattan and pergamon; bathtubs with Skin Touch Emotion are available in the same colour as the bathtub (see table above).

HOW TO ORDER COLOUR BATH

1. CHOOSE YOUR BATH


- From this pricelist or on our website, www.bathe.net.au.

2. SELECT YOUR COLOUR

- Check the chart above to ensure the desired colour is available for the selected item.

3. PRODUCT CODE FOR ORDERING

- Colour code:



- Check the above chart for the appropriate colour code; the colour code must be added to the bath code, e.g. 0199.

- e.g. Centro Duo Oval 1700mm bath with overflow, colour Manhattan: 01-127-0199-06

4. PLACING THE ORDER

- Non-stocked colours are special orders, therefore may not be cancelled. Delivery is approximately 14 - 16 Weeks.

➤ Any questions, our experienced team are happy to help. Please contact Bathe on 02 9509 0000 or sales@bathe.net.au.

The colours shown are merely indicative and may differ from the real colours due to printing technology. Subject to technical alterations, tolerances and errors. Similar illustrations.


KALDEWEI

MEISTERSTÜCK

OYO DUO

NO OVERFLOW

- an unprecedented Egg Shape design made of sustainable steel enamel by means of the highest German engineering
- a graceful design sculpture that integrates harmoniously into the bathroom space, flowing and almost seeming to float
- inspired by Japanese porcelain design: the double-walled product impresses with its minimal organic lines and elegant functionality
- the inner shape offers maximum lying confort, even for two people, with two identical backrests and a central waste
- available in numerous colours of the Coordinated Colours Collection
- the free space under the bathtub enables installation without a screed recess for lowering the waste fitting
- **30 YEAR WARRANTY**



Model No.		1050-4035	1051-4035
External length	a ₁	1630	1730 mm
Internal length (top)	a ₆	1560	1660 mm
Internal length (bottom)	a ₇	1171	1275 mm
External width	b ₁	770	820 mm
Internal width (top)	b ₆	700	750 mm
Internal width (bottom)	b ₁₁	556	606 mm
Depth inside	c ₁	419	419 mm
Depth incl. waste hole	c ₂	439	439 mm
Height of bath	c ₁₉	580	580 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	35; 35	35; 35 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52 mm
Net weight		95	105 kg
Water volume		148	186 l


Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Time
MEISTERSTÜCK OYO DUO with enamelled pop-up waste no overflow	01-1050-4035-XXXX 01-1051-4035-XXXX	1630 x 770 x 580 1730 x 820 x 580				Stocked Colour alpine white & alpine white matt 18 Weeks for all other colours

OPTIONS:	Model Order No.			Delivery Time
SOUND WAVE Audio System	01-6801			Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV			18 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean			
Anti-Slip				
Full Anti-Slip				


➤ Air Spa Systems available for this model. See options on page 4.

MEISTERSTÜCK OYO DUO COLOUR OVERVIEW				
CPG (I)				
				
ALPINE WHITE CODE 0001				
COORDINATED COLOURS (IV)				
				
ALPINE WHITE MATT CODE 0711	WARM BEIGE 20 CODE 0661	WARM GREY 10 CODE 0668	WARM GREY 60 CODE 0671	
				
COOL GREY 30 CODE 0663	COOL GREY 70 CODE 0665	COOL GREY 90 CODE 0667	BLACK MATT 100 CODE 0676	

MEISTERSTÜCK OYO DUO

WITH OVERFLOW

- an unprecedented Egg Shape design made of sustainable steel enamel by means of the highest German engineering
- a graceful design sculpture that integrates harmoniously into the bathroom space, flowing and almost seeming to float
- inspired by Japanese porcelain design: the double-walled product impresses with its minimal organic lines and elegant functionality
- the inner shape offers maximum lying comfort, even for two people, with two identical backrests and a central waste
- available in numerous colours of the Coordinated Colours Collection
- the free space under the bathtub enables installation without a screed recess for lowering the waste fitting
- **30 YEAR WARRANTY**



Model No.		1050-4034	1051-4034
External length	a ₁	1630	1730 mm
Internal length (top)	a ₆	1560	1660 mm
Internal length (bottom)	a ₇	1171	1275 mm
External width	b ₁	770	820 mm
Internal width (top)	b ₆	700	750 mm
Internal width (bottom)	b ₁₁	556	606 mm
Depth inside	c ₁	419	419 mm
Depth incl. waste hole	c ₂	439	439 mm
Height of bath	c ₁₉	580	580 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	35; 35	35; 35 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	815	865 mm
Distance centre of waste hole to centre of overflow hole	f ₇	331	356 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52 mm
Width of overflow hole	f ₁₅	108	108 mm
Height of overflow hole	f ₁₆	19	19 mm
Net weight		95	105 kg
Water volume		148	186 l

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm			Delivery Time
MEISTERSTÜCK OYO DUO with design overflow and enamelled pop-up waste	01-1050-4034-XXXX 01-1051-4034-XXXX	1630 x 770 x 580 1730 x 820 x 580			18 Weeks

OPTIONS:	Model Order No.			Delivery Time
SOUND WAVE Audio System	01-6801			Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV			18 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean			
Anti-Slip				
Full Anti-Slip				

➤ Air Spa Systems available for this model. See options on page 4.

MEISTERSTÜCK OYO DUO COLOUR OVERVIEW

CPG (I)



ALPINE WHITE
CODE 0001

COORDINATED COLOURS (IV)



ALPINE WHITE MATT
CODE 0711



WARM BEIGE 20
CODE 0661



WARM GREY 10
CODE 0668



WARM GREY 60
CODE 0671



COOL GREY 30
CODE 0663



COOL GREY 70
CODE 0665




COOL GREY 90
CODE 0667



BLACK MATT 100
CODE 0676

MEISTERSTÜCK CENTRO DUO OVAL

- freestanding bath made of superior steel enamel
- with exclusive easy-clean finish
- pure simplicity and unpretentious elegance are what distinguish these baths
- the moulded panel emphasizes the high design standard and enables the bath to be free-standing
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



Model No.		1127	1128
External length	a_1	1700	1800 mm
Internal length (top)	a_6	1580	1680 mm
Internal length (bottom)	a_7	1130	1230 mm
External width	b_1	750	800 mm
Internal width (top)	b_6	630	680 mm
Internal width (bottom)	b_{11}	510	560 mm
Depth inside	c_1	460	460 mm
Depth incl. waste hole	c_2	485	485 mm
Height of bath	c_{19}	610	610 mm
Width of rim (foot end; long side)	$e_1; e_2$	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f_1	70	70 mm
Distance bath edge to centre of waste hole	f_2	850	900 mm
Distance centre of waste hole to centre of overflow hole	f_7	307	332 mm
Diameter of overflow hole	f_8	Ø 52	Ø 52 mm
Diameter of waste hole	f_9	Ø 52	Ø 52 mm
External radius	r_1	375	400 mm
Water volume		156	195 l
Waste connection diameter		Ø 40/50	Ø 40/50
Fill fitting connection		1/2"	1/2"
Net weight		120	139 kg
Anti-slip		Ø 435	Ø 435 mm
Full anti-slip		900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm		Delivery Time
MEISTERSTÜCK CENTRO DUO OVAL with easy-clean finish WITH OVERFLOW WITH MULTIFILLER* WITH OVERFLOW WITH MULTIFILLER*	01-1127-06	1700 x 750 x 460		Stocked Item
	01-1127-A6	1700 x 750 x 460		
	01-1128-06	1800 x 800 x 460		
	01-1128-A6	1800 x 800 x 460		

* Requires Non-Return Valve which is not included.

OPTIONS:	Model Order No.			Delivery Time
SOUND WAVE Audio System	01-6801			Stocked Item
Invisible Grip	Note: Cannot be combined with Easy-Clean			18 Weeks
Anti-Slip				
Full Anti-Slip				


➤ Air Spa Systems available for this model. See options on page 4.

MEISTERSTÜCK

CENTRO DUO 1 LEFT

CORNER INSTALLATION (2-SIDED)

- bath made of high-quality steel enamel with enamelled panelling on two sides
- specially designed for corner installation
- available in left-hand and right-hand version
- with exclusive easy-clean finish
- pure simplicity and unpretentious elegance are what distinguish these baths
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



Model No.		1129	1136
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1580	1680 mm
Internal length (bottom)	a ₇	1130	1230 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	630	680 mm
Internal width (bottom)	b ₁₁	510	560 mm
Depth inside	c ₁	460	460 mm
Depth incl. waste hole	c ₂	485	485 mm
Height of rim	c ₄	80	80 mm
Height of bath	c ₁₉	610	610 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of drain hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	307	332 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52 mm
External radius	r ₁	5	5 mm
External radius	r ₂	375	400 mm
Water volume		156	195 l
Waste connection diameter		∅ 40/50	∅ 40/50
Fill fitting connection		1/2"	1/2"
Net weight		99	110 kg
Anti-slip		∅ 435	∅ 435 mm
Full anti-slip		900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI



	Model Order No.	Dimensions mm		Delivery Time
MEISTERSTÜCK CENTRO DUO 1 LEFT with easy-clean finish WITH OVERFLOW WITH MULTIFILLER* WITH OVERFLOW WITH MULTIFILLER*	01-1129-06	1700 x 750 x 460		Stocked Item
	01-1129-A6	1700 x 750 x 460		
	01-1136-06	1800 x 800 x 460		18 Weeks
	01-1136-A6	1800 x 800 x 460		

* Requires Non-Return Valve which is not included.

OPTIONS:	Model Order No.			Delivery Time
SOUND WAVE Audio System	01-6801			Stocked Item
Invisible Grip	Note: Cannot be combined with Easy-Clean			18 Weeks
Anti-Slip				
Full Anti-Slip				


➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 4.

MEISTERSTÜCK

CENTRO DUO 1 RIGHT

CORNER INSTALLATION (2-SIDED)

- bath made of high-quality steel enamel with enamelled panelling on two sides
- specially designed for corner installation
- available in right-hand and left-hand model
- with exclusive easy-clean finish
- pure simplicity and unpretentious elegance are what distinguish these baths
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



Model No.		1130	1137
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1580	1680 mm
Internal length (bottom)	a ₇	1130	1230 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	630	680 mm
Internal width (bottom)	b ₁₁	510	560 mm
Depth inside	c ₁	460	460 mm
Depth incl. waste hole	c ₂	485	485 mm
Height of rim	c ₄	80	80 mm
Height of bath	c ₁₉	610	610 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	307	332 mm
Diameter of overflow hole	f ₈	Ø 52	Ø 52 mm
Diameter of waste hole	f ₉	Ø 52	Ø 52 mm
External radius	r ₁	5	5 mm
External radius	r ₂	375	400 mm
Water volume		156	195 l
Waste connection diameter		Ø 40/50	Ø 40/50
Fill fitting connection		1/2"	1/2"
Net weight		99	110 kg
Anti-slip		Ø 435	Ø 435 mm
Full anti-slip		900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI



	Model Order No.	Dimensions mm	Delivery Time
MEISTERSTÜCK CENTRO DUO 1 RIGHT with easy-clean finish WITH OVERFLOW WITH MULTIFILLER* WITH OVERFLOW WITH MULTIFILLER*	01-1130-06	1700 x 750 x 460	Stocked Item
	01-1130-A6	1700 x 750 x 460	
	01-1137-06	1800 x 800 x 460	18 Weeks
	01-1137-A6	1800 x 800 x 460	

* Requires Non-Return Valve which is not included.


OPTIONS:	Model Order No.		Delivery Time
SOUND WAVE Audio System	01-6801		Stocked Item
Invisible Grip	Note: Cannot be combined with Easy-Clean		18 Weeks
Anti-Slip			
Full Anti-Slip			

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 4.

MEISTERSTÜCK CENTRO DUO 2

FRONT WALL INSTALLATION (3-SIDED)

- bath made of high-quality steel enamel with enamelled panelling on three sides
- with exclusive easy-clean finish
- pure simplicity and unpretentious elegance are what distinguish these baths
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



Model No.		1131	1135
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1580	1680 mm
Internal length (bottom)	a ₇	1130	1230 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	630	680 mm
Internal width (bottom)	b ₁₁	510	560 mm
Depth inside	c ₁	460	460 mm
Depth incl. waste hole	c ₂	485	485 mm
Height of rim	c ₄	80	80 mm
Height of bath	c ₁₉	610	610 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	307	332 mm
Diameter of overflow hole	f ₈	Ø 52	Ø 52 mm
Diameter of waste hole	f ₉	Ø 52	Ø 52 mm
External radius	r ₁	5	5 mm
External radius	r ₂	375	400 mm
Water volume		156	195 l
Waste connection diameter		Ø 40/50	Ø 40/50
Fill fitting connection		1/2"	1/2"
Net weight		103	114 kg
Anti-slip		Ø 435	Ø 435 mm
Full anti-slip		900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI



	Model Order No.	Dimensions mm		Delivery Time
MEISTERSTÜCK CENTRO DUO 2 with easy-clean finish WITH OVERFLOW WITH MULTIFILLER* WITH OVERFLOW WITH MULTIFILLER*	01-1131-06	1700 x 750 x 460		Stocked Item
	01-1131-A6	1700 x 750 x 460		
	01-1135-06	1800 x 800 x 460		
	01-1135-A6	1800 x 800 x 460		


* Requires Non-Return Valve which is not included.

OPTIONS:	Model Order No.			Delivery Time
SOUND WAVE Audio System	01-6801			Stocked Item
Invisible Grip	<i>Note: Cannot be combined with Easy-Clean</i>			18 Weeks
Anti-Slip				
Full Anti-Slip				

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 4.

MEISTERSTÜCK CLASSIC DUO OVAL

- freestanding bathtub with seamless enamelled panelling blends into a monolithic symphony made of KALDEWEI steel enamel
- archetypal design with oval contours appeals anywhere in the room. The distinctly narrow edge lends the bath a uniquely harmonious aesthetic
- two gently sloping backrests and the central waste and overflow fitting ensure relaxed bathing with a partner
- with exclusive easy-clean finish
- **30 YEAR WARRANTY**



Model No.		1112
External length	a_1	1600 mm
Internal length (top)	a_6	1480 mm
Internal length (bottom)	a_7	1030 mm
External width	b_1	700 mm
Internal width (top)	b_6	580 mm
Internal width (bottom)	b_{11}	450 mm
Internal depth	c_1	420 mm
Depth incl. waste hole	c_2	430 mm
Height of bath	c_{19}	610 mm
Width of rim (foot end)	e_1	60 mm
Width of rim (lengthwise)	e_2	60 mm
Distance top edge to centre of overflow hole	f_1	70 mm
Distance bath edge to centre of waste hole	f_2	800 mm
Distance centre of waste hole to centre of overflow hole	f_7	280 mm
Diameter of overflow hole	f_8	∅ 52 mm
Diameter of waste hole	f_9	∅ 52 mm
External radius	r_1	350 mm
Water volume		95 l
Net weight		73,1 kg
Anti-slip		∅ 288 mm
Full anti-slip		850 x 240 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI


	Model Order No.	Dimensions mm		Delivery Time
MEISTERSTÜCK CLASSIC DUO OVAL with easy-clean finish WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK	01-1112-06	1600 x 700 x 420		Stocked Item
	01-1112-06W	1600 x 700 x 420		
	01-1112-06MB	1600 x 700 x 420		
	01-1112-A6	1600 x 700 x 420		
	01-1112-A6W	1600 x 700 x 420		
	01-1112-A6MB	1600 x 700 x 420		

OPTIONS:	Model Order No.			Delivery Time
SOUND WAVE Audio System	01-6801			Stocked Item
Invisible Grip	Note: Cannot be combined with Easy-Clean			18 Weeks
Anti-Slip				
Full Anti-Slip				

➤ Air Spa Systems Available for this model. See options on page 4.

MEISTERSTÜCK CLASSIC DUO OVAL

- freestanding bathtub with seamless enamelled panelling blends into a monolithic symphony made of KALDEWEI steel enamel
- archetypal design with oval contours and a stunning conical exterior appeals anywhere in the room. The distinctly narrow edge lends the bath a uniquely harmonious aesthetic
- two gently sloping backrests and the central waste and overflow fitting ensure relaxed bathing with a partner
- with exclusive easy-clean finish
- **30 YEAR WARRANTY**



Model No.		1113	1111
External length	a ₁	1700	1800 mm
External length (bottom)	a ₃	1418	1518 mm
Internal length (top)	a ₆	1580	1680 mm
Internal length (bottom)	a ₇	1130	1230 mm
External width	b ₁	750	800 mm
External width (bottom)	b ₃	643	693 mm
Internal width (top)	b ₆	630	680 mm
Internal width (bottom)	b ₁₁	500	550 mm
Depth inside	c ₁	420	420 mm
Depth incl. waste hole	c ₂	430	430 mm
Height of bath	c ₁₉	610	610 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	305	330 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52 mm
External radius	r ₁	375	400 mm
Water volume		124	158 l
Net weight		117	139 kg
Fill fitting connection		1/2"	1/2"
Waste connection diameter		∅ 40/50	∅ 40/50
Anti-slip		∅ 435	∅ 435 mm
Full anti-slip		900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI




	Model Order No.	Dimensions mm		Delivery Time
MEISTERSTÜCK CLASSIC DUO OVAL with easy-clean finish WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK	01-1113-06	1700 x 750 x 420		Stocked Item
	01-1113-06W	1700 x 750 x 420		
	01-1113-06MB	1700 x 750 x 420		
	01-1113-A6	1700 x 750 x 420		
	01-1113-A6W	1700 x 750 x 420		
	01-1113-A6MB	1700 x 750 x 420		
	01-1111-06	1800 x 800 x 420		
	01-1111-06W	1800 x 800 x 420		
	01-1111-06MB	1800 x 800 x 420		
	01-1111-A6	1800 x 800 x 420		
	01-1111-A6W	1800 x 800 x 420		
	01-1111-A6MB	1800 x 800 x 420		

OPTIONS:	Model Order No.			Delivery Time
SOUND WAVE Audio System	01-6801			Stocked Item
Invisible Grip	Note: Cannot be combined with Easy-Clean			18 Weeks
Anti-Slip				
Full Anti-Slip				

➤ Air Spa Systems Available for this model. See options on page 4.

MEISTERSTÜCK CONODUO

- freestanding bath made of KALDEWEI steel enamel
- with exclusive easy-clean finish
- straightlined, purist design
- classic four-cornered model
- enamelled waste cover integrated in the bath design (also available with filling function)
- bathing with a friend: two identical back rests and centrally positioned waste
- designed by Sottsass Associati
- **30 YEAR WARRANTY**



Model No.		1732	1733
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1540	1640 mm
Internal length (bottom)	a ₇	1080	1180 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	590	640 mm
Internal width (bottom)	b ₁₁	470	520 mm
Depth inside	c ₁	420	420 mm
Depth incl. waste hole	c ₂	445	445 mm
Height of bath	c ₁₉	610	610 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	80; 80	80; 80 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	285	310 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 90	∅ 90 mm
External radius	r ₁	5	5 mm
Water volume		122	159 l
Waste connection diameter		∅ 40/50	∅ 40/50
Fill fitting connection		1/2"	1/2"
Net weight		154	170 kg
Anti-slip		356 x 356	404 x 404 mm
Full anti-slip		788 x 356	884 x 404 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI



	Model Order No.	Dimensions mm		Delivery Time
MEISTERSTÜCK CONODUO with easy-clean finish WITH OVERFLOW WITH MULTIFILLER* WITH OVERFLOW WITH MULTIFILLER*	01-1732-06	1700 x 750 x 420		18 Weeks
	01-1732-A6	1700 x 750 x 420		
	01-1733-06	1800 x 800 x 420		
	01-1733-A6	1800 x 800 x 420		

* Requires Non-Return Valve which is not included.


OPTIONS:	Model Order No.			Delivery Time
SOUND WAVE Audio System	01-6801			Stocked Item
Invisible Grip	Note: Cannot be combined with Easy-Clean			18 Weeks
Anti-Slip				
Full Anti-Slip				

➤ Air Spa Systems available for this model. See options on page 4.

MEISTERSTÜCK CONODUO 1 LEFT

CORNER INSTALLATION (2-SIDED)

- bath made of high-quality steel enamel with enamelled panelling on two sides
- specially designed for corner installation
- available as right or left-hand model
- with exclusive easy-clean finish
- straightlined, purist design
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- made of KALDEWEI steel enamel
- designed by Sottsass Associati
- **30 YEAR WARRANTY**



Model No.		1702	1703
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1540	1640 mm
Internal length (bottom)	a ₇	1080	1180 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	590	640 mm
Internal width (bottom)	b ₁₁	470	520 mm
Depth inside	c ₁	420	420 mm
Depth incl. waste hole	c ₂	445	445 mm
Height of rim	c ₄	80	80 mm
Height of bath	c ₁₉	610	610 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	80; 80	80; 80 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	285	310 mm
Diameter of overflow hole	f ₈	Ø 52	Ø 52 mm
Diameter of waste hole	f ₉	Ø 90	Ø 90 mm
External radius	r ₁	5	5 mm
Water volume		122	159 l
Waste connection diameter		Ø 40/50	Ø 40/50
Fill fitting connection		1/2"	1/2"
Net weight		100	109 kg
Anti-slip		356 x 356	404 x 404 mm
Full anti-slip		788 x 356	884 x 404 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI



	Model Order No.	Dimensions mm		Delivery Time
MEISTERSTÜCK CONODUO 1 LEFT with easy-clean finish WITH OVERFLOW WITH MULTIFILLER* WITH OVERFLOW WITH MULTIFILLER*	01-1702-06	1700 x 750 x 420		18 Weeks
	01-1702-A6	1700 x 750 x 420		
	01-1703-06	1800 x 800 x 420		
	01-1703-A6	1800 x 800 x 420		

* Requires Non-Return Valve which is not included.


OPTIONS:	Model Order No.			Delivery Time
SOUND WAVE Audio System	01-6801			Stocked Item
Invisible Grip	Note: Cannot be combined with Easy-Clean			18 Weeks
Anti-Slip				
Full Anti-Slip				

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 4.

MEISTERSTÜCK CONODUO 1 RIGHT

CORNER INSTALLATION (2-SIDED)

- bath made of high-quality steel enamel with enamelled panelling on two sides
- specially designed for corner installation
- available as right or left-hand model
- with exclusive easy-clean finish
- straightlined, purist design
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- made of KALDEWEI steel enamel
- designed by Sottsass Associati
- **30 YEAR WARRANTY**



Model No.		1712	1713
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1540	1640 mm
Internal length (bottom)	a ₇	1080	1180 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	590	640 mm
Internal width (bottom)	b ₁₁	470	520 mm
Depth inside	c ₁	420	420 mm
Depth incl. waste hole	c ₂	445	445 mm
Height of rim	c ₄	80	80 mm
Height of bath	c ₁₉	610	610 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	80; 80	80; 80 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	285	310 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 90	∅ 90 mm
External radius	r ₁	5	5 mm
Water volume		122	159 l
Waste connection diameter		∅ 40/50	∅ 40/50
Fill fitting connection		1/2"	1/2"
Net weight		100	109 kg
Anti-slip		356 x 356	404 x 404 mm
Full anti-slip		788 x 356	884 x 404 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI



	Model Order No.	Dimensions mm		Delivery Time
MEISTERSTÜCK CONODUO 1 RIGHT with easy-clean finish				18 Weeks
	WITH OVERFLOW WITH MULTIFILLER*	01-1712-06 01-1712-A6	1700 x 750 x 420 1700 x 750 x 420	
	WITH OVERFLOW WITH MULTIFILLER*	01-1713-06 01-1713-A6	1800 x 800 x 420 1800 x 800 x 420	

* Requires Non-Return Valve which is not included.

OPTIONS:


SOUND WAVE Audio System	01-6801			Stocked Item
Invisible Grip	Note: Cannot be combined with Easy-Clean			18 Weeks
Anti-Slip				
Full Anti-Slip				

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 4.

MEISTERSTÜCK CONODUO 2

FRONT WALL INSTALLATION (3-SIDED)

- bath made of high-quality steel enamel with enamelled panelling on three sides
- with exclusive easy-clean finish
- straightlined, purist design
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- made of KALDEWEI steel enamel
- designed by Sottsass Associati
- **30 YEAR WARRANTY**



Model No.		1722	1723
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1540	1640 mm
Internal length (bottom)	a ₇	1080	1180 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	590	640 mm
Internal width (bottom)	b ₁₁	470	520 mm
Depth inside	c ₁	420	420 mm
Depth incl. waste hole	c ₂	445	445 mm
Height of rim	c ₄	80	80 mm
Height of bath	c ₁₉	610	610 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	80; 80	80; 80 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	285	310 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 90	∅ 90 mm
External radius	r ₁	5	5 mm
Water volume		122	159 l
Waste connection diameter		∅ 40/50	∅ 40/50
Fill fitting connection		1/2"	1/2"
Net weight		109	118 kg
Anti-slip		356 x 356	404 x 404 mm
Full anti-slip		788 x 356	884 x 404 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI



	Model Order No.	Dimensions mm		Delivery Time
MEISTERSTÜCK CONODUO 2 with easy-clean finish WITH OVERFLOW WITH MULTIFILLER* WITH OVERFLOW WITH MULTIFILLER*	01-1722-06	1700 x 750 x 420		18 Weeks
	01-1722-A6	1700 x 750 x 420		
	01-1723-06	1800 x 800 x 420		
	01-1723-A6	1800 x 800 x 420		


* Requires Non-Return Valve which is not included.

OPTIONS:	Model Order No.			Delivery Time
SOUND WAVE Audio System	01-6801			Stocked Item
Invisible Grip	Note: Cannot be combined with Easy-Clean			18 Weeks
Anti-Slip				
Full Anti-Slip				

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 4.

ASYMMETRIC DUO

- exciting contrast between the clear lines of the bath rim and the flowing, ergonomic design language of the interior
- generously sized storage area that can also be used as a seat or to accommodate bath rim tap fittings
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- designed by Phoenix Design
- **30 YEAR WARRANTY**



GRIP ELEGANT PURISM



Model No.		740	742	744
External length	a ₁	1700	1800	1900 mm
Internal length (top)	a ₆	1570	1670	1770 mm
Internal length (bottom)	a ₇	1246	1348	1484 mm
External width	b ₁	800	900	1000 mm
Internal width (top)	b ₆	616	681	751 mm
Internal width (bottom)	b ₁₁	500	600	646 mm
Depth inside	c ₁	400	400	400 mm
Depth incl. waste hole	c ₂	425	425	425 mm
Height with feet	c ₃	540-560	540 - 560	540-560 mm
Height of rim	c ₄	32	32	32 mm
Shelf	e ₉	122	157	187 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	65; 62	65; 62	65; 62 mm
Distance top edge to centre of overflow hole	f ₁	70	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900	950 mm
Distance centre of waste hole to centre of overflow hole	f ₇	300	335	370 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	702	753	802 mm
Distance bath edge (foot end) to end of grip	g ₂	998	1048	1098 mm
Distance foot end of bath edge to centre of foot	h ₂	550	580	585 mm
Distance between the feet	h ₄	600	640	730 mm
Width of feet max.	h ₆	445	525	585 mm
External radius	r ₁	23	23	23 mm
Water volume		123	163	208 l
Net weight		49	52	64 kg
Anti-slip		348 x 348	396 x 396	396 x 396 mm
Full anti-slip		740 x 252	876 x 252	924 x 348 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Times
ASYMMETRIC DUO WITH OVERFLOW WITH MULTIFILLER* Leg System for 740 WITH OVERFLOW WITH MULTIFILLER* Leg System for 742 WITH OVERFLOW WITH MULTIFILLER* Leg System for 744	01-740-06 01-740-A6 01-5037	1700 x 800 x 400 1700 x 800 x 400				14-16 Weeks
	01-742-06 01-742-A6 01-5037	1800 x 900 x 400 1800 x 900 x 400				
	01-744-06 01-744-A6 01-5037	1900 x 1000 x 400 1900 x 1000 x 400				

INCLUDES: Sound Insulation, Overflow and Waste Fittings.
* Requires Non-Return Valve which is not included.


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip ELEGANT PURISM Type A (1 Grip), chrome Note: Handle position as per specification	01-5904				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CENTRO DUO

- pure simplicity and unpretentious elegance are what distinguish these baths
- classic four-cornered model
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULLENCE



SOUND WAVE

Model No.		132	133
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1580	1680 mm
Internal length (bottom)	a ₇	1130	1230 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	630	680 mm
Internal width (bottom)	b ₁₁	510	560 mm
Depth inside	c ₁	460	460 mm
Depth incl. waste hole	c ₂	485	485 mm
Height with feet	c ₃	605 - 640	595 - 630 mm
Height of rim	c ₄	50	50 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	307	332 mm
Diameter of overflow hole	f ₈	Ø 52	Ø 52 mm
Diameter of waste hole	f ₉	Ø 52	Ø 52 mm
Distance bath edge (foot end) to start of grip	g ₁	707	757 mm
Distance bath edge (foot end) to end of grip	g ₂	993	1043 mm
Distance foot end of bath edge to centre of foot	h ₂	560	600 mm
Distance between the feet	h ₄	580	600 mm
Width of feet max.	h ₆	465	540 mm
External radius	r ₁	23	23 mm
Water volume		156	195 l
Net weight		52	58 kg
Diameter of Anti-slip		Ø 435	Ø 435 mm
Full anti-slip		900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Times	
CENTRO DUO	WITH OVERFLOW WITH MULTIFILLER* Leg System for 132	01-132-06 01-132-A6 01-5030	1700 x 750 x 460 1700 x 750 x 460				Stocked Colour alpine white
	WITH OVERFLOW WITH MULTIFILLER* Leg System for 133	01-133-06 01-133-A6 01-5032K	1800 x 800 x 460 1800 x 800 x 460				14 - 16 Weeks for all other colours

INCLUDES: Sound Insulation, Overflow and Waste Fittings.

* Requires Non-Return Valve which is not included.


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip DISCREET OPULENCE Type A (1 Grip), chrome Note: Handle position as per specification	01-5900				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CENTRO DUO 1 LEFT

- pure simplicity and unpretentious elegance distinguish these baths
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULLENCE



Model No.		129	136
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1580	1680 mm
Internal length (bottom)	a ₇	1130	1230 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	630	680 mm
Internal width (bottom)	b ₁₁	510	560 mm
Depth inside	c ₁	460	460 mm
Depth incl. waste hole	c ₂	485	485 mm
Height with feet	c ₃	605 - 640	595 - 630 mm
Height of rim	c ₄	50	50 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	307	332 mm
Diameter of overflow hole	f ₈	Ø 52	Ø 52 mm
Diameter of waste hole	f ₉	Ø 52	Ø 52 mm
Distance bath edge (foot end) to start of grip	g ₁	708	758 mm
Distance bath edge (foot end) to end of grip	g ₂	992	1042 mm
Distance foot end of bath edge to centre of foot	h ₂	560	600 mm
Distance between the feet	h ₄	580	600 mm
Width of feet max.	h ₆	465	540 mm
External radius	r ₁	23	23 mm
External radius	r ₂	375	400 mm
Water volume		156	195 l
Net weight		53	56 kg
Diameter of Anti-slip		Ø 435	Ø 435 mm
Full anti-slip		900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Times
CENTRO DUO 1 LEFT						
WITH OVERFLOW WITH MULTIFILLER* Leg System for 129	01-129-06 01-129-A6 01-5030	1700 x 750 x 460 1700 x 750 x 460				14 - 16 Weeks
WITH OVERFLOW WITH MULTIFILLER* Leg System for 136	01-136-06 01-136-A6 01-5032K	1800 x 800 x 460 1800 x 800 x 460				
INCLUDES: Sound Insulation, Overflow and Waste Fittings. * Requires Non-Return Valve which is not included.						


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip DISCREET OPULENCE Type A (1 Grip), chrome Note: Handle position as per specification	01-5900				

➤ For available colours see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CENTRO DUO 1 RIGHT

- pure simplicity and unpretentious elegance distinguish these baths
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULLENCE



SOUND WAVE

Model No.		130	137
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1580	1680 mm
Internal length (bottom)	a ₇	1130	1230 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	630	680 mm
Internal width (bottom)	b ₁₁	510	560 mm
Depth inside	c ₁	460	460 mm
Depth incl. waste hole	c ₂	485	485 mm
Height with feet	c ₃	605 - 640	595 - 630 mm
Height of rim	c ₄	50	50 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	307	332 mm
Diameter of overflow hole	f ₈	Ø 52	Ø 52 mm
Diameter of waste hole	f ₉	Ø 52	Ø 52 mm
Distance bath edge (foot end) to start of grip	g ₁	708	758 mm
Distance bath edge (foot end) to end of grip	g ₂	992	1042 mm
Distance foot end of bath edge to centre of foot	h ₂	560	600 mm
Distance between the feet	h ₄	580	600 mm
Width of feet max.	h ₆	465	540 mm
External radius	r ₁	23	23 mm
External radius	r ₂	375	400 mm
Water volume		156	195 l
Net weight		53	56 kg
Diameter of Anti-slip		Ø 435	Ø 435 mm
Full anti-slip		900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Times
CENTRO DUO 1 RIGHT						
WITH OVERFLOW WITH MULTIFILLER* Leg System for 130	01-130-06 01-130-A6 01-5030	1700 x 750 x 460 1700 x 750 x 460				14 - 16 Weeks
WITH OVERFLOW WITH MULTIFILLER* Leg System for 137	01-137-06 01-137-A6 01-5032K	1800 x 800 x 460 1800 x 800 x 460				

INCLUDES: Sound Insulation, Overflow and Waste Fittings.

* Requires Non-Return Valve which is not included.


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip DISCREET OPULENCE Type A (1 Grip), chrome Note: Handle position as per specification	01-5900				

➤ For available colours see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CENTRO DUO 2

- pure simplicity and unpretentious elegance distinguish these baths
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULLENCE



SOUND WAVE

Model No.		131	135
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1580	1680 mm
Internal length (bottom)	a ₇	1130	1230 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	630	680 mm
Internal width (bottom)	b ₁₁	510	560 mm
Depth inside	c ₁	460	460 mm
Depth incl. waste hole	c ₂	485	485 mm
Height with feet	c ₃	605 - 640	595 - 630 mm
Height of rim	c ₄	50	50 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	307	332 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	708	758 mm
Distance bath edge (foot end) to end of grip	g ₂	992	1042 mm
Distance foot end of bath edge to centre of foot	h ₂	560	600 mm
Distance between the feet	h ₄	580	600 mm
Width of feet max.	h ₆	465	540 mm
External radius	r ₁	23	23 mm
External radius	r ₂	375	400 mm
Water volume		156	195 l
Net weight		51	52 kg
Diameter of Anti-slip		∅ 435	∅ 435 mm
Full anti-slip		900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Times	
CENTRO DUO 2							
	WITH OVERFLOW WITH MULTIFILLER* Leg System for 131	01-131-06 01-131-A6 01-5030	1700 x 750 x 460 1700 x 750 x 460				Stocked Colour alpine white
	WITH OVERFLOW WITH MULTIFILLER* Leg System for 135	01-135-06 01-135-A6 01-5032K	1800 x 800 x 460 1800 x 800 x 460				14 - 16 Weeks for all other colours

INCLUDES: Sound Insulation, Overflow and Waste Fittings.

* Requires Non-Return Valve which is not included.


OPTIONS:	Model Order No.					Delivery Times
SOUND WAVE Audio System	01-6801					Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV					14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean					
Anti-Slip						
Full Anti-Slip						
Grip DISCREET OPULENCE Type A (1 Grip), chrome Note: Handle position as per specification	01-5900					
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks	

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CENTRO DUO OVAL

- pure simplicity and unpretentious elegance distinguish these baths
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULLENCE



Model No.		127	128
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1580	1680 mm
Internal length (bottom)	a ₇	1130	1230 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	630	680 mm
Internal width (bottom)	b ₁₁	510	560 mm
Depth inside	c ₁	460	460 mm
Depth incl. waste hole	c ₂	485	485 mm
Height with feet	c ₃	605 - 640	595 - 630 mm
Height of rim	c ₄	50	50 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	307	332 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	708	758 mm
Distance bath edge (foot end) to end of grip	g ₂	992	1042 mm
Distance foot end of bath edge to centre of foot	h ₂	560	600 mm
Distance between the feet	h ₄	580	600 mm
Width of feet max.	h ₆	465	540 mm
External radius	r ₁	375	400 mm
Water volume		156	195 l
Net weight		48	53 kg
Diameter of Anti-slip		∅ 435	∅ 435 mm
Full anti-slip		900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Times
CENTRO DUO OVAL						
WITH OVERFLOW WITH MULTIFILLER* Leg System for 127	01-127-06 01-127-A6 01-5030	1700 x 750 x 460 1700 x 750 x 460				Stocked Colour alpine white
WITH OVERFLOW WITH MULTIFILLER* Leg System for 128	01-128-06 01-128-A6 01-5032K	1800 x 800 x 460 1800 x 800 x 460				14 - 16 Weeks for all other colours

INCLUDES: Sound Insulation, Overflow and Waste Fittings.

* Requires Non-Return Valve which is not included.


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip DISCREET OPULENCE Type A (1 Grip), chrome Note: Handle position as per specification	01-5900				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems Available for built-in model only, Air Spa Systems Available for built-in and freestanding model.
See options on page 5.

CONODUO FREESTANDING

- straightlined, purist design
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- classic four-cornered model
- the moulded panel emphasises the high design standard
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- designed by Sottsass Associati
- **30 YEAR WARRANTY**



GRIP ELEGANT PURISM



Model No.		734-7	735-7
External length	a ₁	1900	2000 mm
External length (bottom)	a ₃	1733	1833 mm
Internal length (top)	a ₆	1740	1800 mm
Internal length (bottom)	a ₇	1280	1340 mm
External width	b ₁	900	1000 mm
External width (bottom)	b ₃	733	833 mm
Internal width (top)	b ₆	740	800 mm
Internal width (bottom)	b ₁₁	620	680 mm
Depth inside	c ₁	420	420 mm
Depth incl. waste hole	c ₂	445	445 mm
Height of rim	c ₄	50	50 mm
Overall height with panel	c ₉	590	590 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	80; 80	100; 100 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	950	1000 mm
Distance centre of waste hole to centre of overflow hole	f ₇	360	390 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 90	∅ 90 mm
Distance bath edge (foot end) to start of grip	g ₁	802	852 mm
Distance bath edge (foot end) to end of grip	g ₂	1098	1148 mm
Distance foot end of bath edge to centre of foot	h ₂	570	620 mm
Distance between the feet	h ₄	760	760 mm
Width of feet max.	h ₆	610	675 mm
External radius	r ₁	23	23 mm
Water volume		220	260 l
Net weight		100	112 kg
Anti-slip		500 x 500	500 x 500 mm
Full anti-slip		980 x 500	980 x 500 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm			Delivery Times
CONODUO FREESTANDING					14 - 16 Weeks
	alpine white				
	WITH OVERFLOW	01-734-7-06	1900 x 900 x 420		
	WITH MULTIFILLER*	01-734-7-A6	1900 x 900 x 420		
	WITH OVERFLOW	01-735-7-06	2000 x 1000 x 420		
	WITH MULTIFILLER*	01-735-7-A6	2000 x 1000 x 420		
	white matt				
	WITH OVERFLOW	01-734-7-0711-06	1900 x 900 x 420		
	WITH MULTIFILLER*	01-734-7-0711-A6	1900 x 900 x 420		
	WITH OVERFLOW	01-735-7-0711-06	2000 x 1000 x 420		
	WITH MULTIFILLER*	01-735-7-0711-A6	2000 x 1000 x 420		
	black matt 100				
WITH OVERFLOW	01-734-7-0676-06	1900 x 900 x 420			
WITH MULTIFILLER*	01-734-7-0676-A6	1900 x 900 x 420			
WITH OVERFLOW	01-735-7-0676-06	2000 x 1000 x 420			
WITH MULTIFILLER*	01-735-7-0676-A6	2000 x 1000 x 420			

INCLUDES: Overflow and Waste Fittings.


* Requires Non-Return Valve which is not included.

OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Sound Pads	01-5001				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip ELEGANT PURISM Type A (1 Grip), chrome Note: Handle position as per specification	01-5904				

➤ Air Spa Systems Available for this model. See options on page 5.

CONODUO

- straightlined, purist design
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- classic four-cornered model
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- designed by Sottsass Associati
- **30 YEAR WARRANTY**



GRIP ELEGANT PERFORM



Model No.		732	733	734	735
External length	a ₁	1700	1800	1900	2000 mm
Internal length (top)	a ₆	1540	1640	1740	1800 mm
Internal length (bottom)	a ₇	1080	1180	1280	1340 mm
External width	b ₁	750	800	900	1000 mm
Internal width (top)	b ₆	590	640	740	800 mm
Internal width (bottom)	b ₁₁	470	520	620	680 mm
Depth inside	c ₁	420	420	420	420 mm
Depth incl. waste hole	c ₂	445	445	445	445 mm
Height with feet	c ₃	565 - 600	555 - 590	555 - 590	555 - 590 mm
Height of rim	c ₄	50	50	50	50 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	80; 80	80; 80	80; 80	100; 100 mm
Distance top edge to centre of overflow hole	f ₁	70	70	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900	950	1000 mm
Distance centre of waste hole to centre of overflow hole	f ₇	285	310	360	390 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 90	∅ 90	∅ 90	∅ 90 mm
Distance bath edge (foot end) to start of grip	g ₁	702	752	802	852 mm
Distance bath edge (foot end) to end of grip	g ₂	998	1048	1098	1148 mm
Distance foot end of bath edge to centre of foot	h ₂	555	555	570	620 mm
Distance between the feet	h ₄	590	690	760	760 mm
Width of feet max.	h ₆	445	515	610	675 mm
External radius	r ₁	23	23	23	23 mm
Water volume		122	159	220	260 l
Net weight		52	57	65	74 kg
Anti-slip		356 x 356	404 x 404	500 x 500	500 x 500 mm
Full anti-slip		788 x 356	884 x 404	980 x 500	980 x 500 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm			Delivery Times
CONODUO WITH OVERFLOW WITH MULTIFILLER* Leg System for 732 WITH OVERFLOW WITH MULTIFILLER* Leg System for 733 WITH OVERFLOW WITH MULTIFILLER* Leg System for 734 WITH OVERFLOW WITH MULTIFILLER* Leg System for 735	01-732-06 01-732-A6 01-5037	1700 x 750 x 420 1700 x 750 x 420			Stocked Colour alpine white
	01-733-06 01-733-A6 01-5037	1800 x 800 x 420 1800 x 800 x 420			14 - 16 Weeks for all other colours
	01-734-06 01-734-A6 01-5037	1900 x 900 x 420 1900 x 900 x 420			14 - 16 Weeks
	01-735-06 01-735-A6 01-5037	2000 x 1000 x 420 2000 x 1000 x 420			

INCLUDES: Sound Insulation, Overflow and Waste Fittings.

* Requires Non-Return Valve which is not included.


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip ELEGANT PURISM Type A (1 Grip), chrome Note: Handle position as per specification	01-5904				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

ELLIPSO DUO OVAL FREESTANDING

- gently shaped shoulder rest for more pleasure and comfort
- elliptical exterior form reflects the interior form
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- the moulded panel emphasises the high design standard and enables the bath to be freestanding
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULENCE



SOUND WAVE



Model No.		232-7
External length	a ₁	1900 mm
External length (bottom)	a ₃	1013 mm
Internal length (top)	a ₆	1660 mm
Internal length (bottom)	a ₇	1260 mm
External width	b ₁	1000 mm
External width (bottom)	b ₃	608 mm
Internal width (top)	b ₆ ; b ₇	860; 585 mm
Internal width (bottom)	b ₁₁ ; b ₁₂	610; 520 mm
Depth inside	c ₁	440 mm
Depth incl. waste hole	c ₂	465 mm
Height with feet	c ₃	-
Height of rim	c ₄	32 mm
Overall height with panel	c ₉	558 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	120; 65 mm
Distance top edge to centre of overflow hole	f ₁	75 mm
Distance bath edge to centre of waste hole	f ₂	950 mm
Distance centre of waste hole to centre of overflow hole	f ₇	421 mm
Diameter of overflow hole	f ₈	Ø 52 mm
Diameter of waste hole	f ₉	Ø 52 mm
Distance bath edge (foot end) to start of grip	g ₁	808 mm
Distance bath edge (foot end) to end of grip	g ₂	1092 mm
Distance foot end of bath edge to centre of foot	h ₂	585 mm
Distance between the feet	h ₄	730 mm
Width of feet max.	h ₅	620 mm
Water volume		214 l
Net weight		76 kg
Anti-slip		Ø 587 mm
Full anti-slip		900 x 546 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm			Delivery Times
ELLIPSO DUO OVAL FREESTANDING					
	alpine white WITH OVERFLOW WITH MULTIFILLER*	01-232-7-06 01-232-7-A6	1900 x 1000 x 440 1900 x 1000 x 440		
	white matt WITH OVERFLOW WITH MULTIFILLER*	01-232-7-0711-06 01-232-7-0711-A6	1900 x 1000 x 440 1900 x 1000 x 440		
	black matt 100 WITH OVERFLOW WITH MULTIFILLER*	01-232-7-0676-06 01-232-7-0676-A6	1900 x 1000 x 440 1900 x 1000 x 440		
					14 - 16 Weeks

INCLUDES: Overflow and Waste Fittings.


* Requires Non-Return Valve which is not included.

OPTIONS:	Model Order No.				Delivery Times
Sound Pads	01-5001				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip DISCREET OPULENCE Type C (1 Grip), chrome Note: Handle position as per specification	01-5902				

➤ Air Spa Systems Available for this model. See options on page 5.

ELLIPSO DUO OVAL

- gently shaped shoulder rest for more pleasure and comfort
- elliptical exterior form reflects the interior form
- enamelled waste cover and overflow knob integrated in the bath design (also available with filling function)
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULENCE



Model No.		232
External length	a ₁	1900 mm
Internal length (top)	a ₆	1660 mm
Internal length (bottom)	a ₇	1260 mm
External width	b ₁	1000 mm
Internal width (top)	b ₆ ; b ₇	860; 585 mm
Internal width (bottom)	b ₁₁ ; b ₁₂	610; 520 mm
Depth inside	c ₁	440 mm
Depth incl. waste hole	c ₂	465 mm
Height with feet	c ₃	565; 595 mm
Height of rim	c ₄	32 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	120; 65 mm
Distance top edge to centre of overflow hole	f ₁	75 mm
Distance bath edge to centre of waste hole	f ₂	950 mm
Distance centre of waste hole to centre of overflow hole	f ₇	421 mm
Diameter of overflow hole	f ₈	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	808 mm
Distance bath edge (foot end) to end of grip	g ₂	1092 mm
Distance foot end of bath edge to centre of foot	h ₂	585 mm
Distance between the feet	h ₄	730 mm
Width of feet max.	h ₆	620 mm
Water volume		214 l
Net weight		55 kg
Anti-slip		∅ 587 mm
Full anti-slip		900 x 546 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Times
ELLIPSO DUO OVAL WITH OVERFLOW WITH MULTIFILLER* Leg System for 232	01-232-06 01-232-A6 01-5037	1900 x 1000 x 440 1900 x 1000 x 440				Stocked Colour alpine white 14 - 16 Weeks for all other colours
INCLUDES: Sound Insulation, Overflow and Waste Fittings. * Requires Non-Return Valve which is not included.						


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip DISCREET OPULENCE Type C (1 Grip), chrome Note: Handle position as per specification	01-5902				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CLASSIC DUO

- pure simplicity and unpretentious elegance are what distinguish these baths
- classic four-cornered model
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULENCE



Model No.		103	105	107	109	110	114
External length	a ₁	1600	1700	1700	1800	1800	1900 mm
Internal length (top)	a ₆	1480	1580	1580	1680	1680	1780 mm
Internal length (bottom)	a ₇	1030	1130	1130	1230	1230	1330 mm
External width	b ₁	700	700	750	750	800	900 mm
Internal width (top)	b ₆	580	580	630	630	680	780 mm
Internal width (bottom)	b ₁₁	450	450	500	500	550	650 mm
Depth inside	c ₁	420	420	420	420	420	420 mm
Depth incl. waste hole	c ₂	430	430	430	430	430	430 mm
Height with feet	c ₃	570 - 605	565 - 600	560 - 595	560 - 595	555 - 590	550 - 580 mm
Height of rim	c ₄	32	32	32	32	32	32 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60	60; 60	60; 60	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70	70	70	70	70 mm
Distance bath edge to centre of waste hole	f ₂	800	850	850	900	900	950 mm
Distance centre of waste hole to centre of overflow hole	f ₇	280	280	305	305	330	380 mm
Diameter of overflow hole	f ₈	Ø 52	Ø 52	Ø 52	Ø 52	Ø 52	Ø 52 mm
Diameter of waste hole	f ₉	Ø 52	Ø 52	Ø 52	Ø 52	Ø 52	Ø 52 mm
Distance bath edge (foot end) to start of grip	g ₁	672	722	722	772	772	822 mm
Distance bath edge (foot end) to end of grip	g ₂	928	978	978	1028	1028	1078 mm
Distance foot end of bath edge to centre of foot	h ₂	560	560	560	600	600	630 mm
Distance between the feet	h ₄	480	580	580	600	600	640 mm
Width of feet max.	h ₆	430	420	470	470	540	650 mm
External radius	r ₁	23	23	23	23	23	23 mm
Water volume		95	110	122	143	158	213 l
Net weight		44	47	47	50	53	61 kg
Diameter of Anti-slip		Ø 288	Ø 288	Ø 435	Ø 435	Ø 435	Ø 435 mm
Full anti-slip		850 x 240	900 x 300	900 x 300	900 x 300	900 x 300	1097 x 406 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm			Delivery Times
<p>CLASSIC DUO</p> <p>WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 103</p> <p>WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 105</p> <p>WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 107</p> <p>WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 109</p> <p>WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 110</p> <p>WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 114</p>	<p>01-103-06 01-103-06W 01-103-06MB 01-103-A6 01-103-A6W 01-103-A6MB 01-5030</p> <p>01-105-06 01-105-06W 01-105-06MB 01-105-A6 01-105-A6W 01-105-A6MB 01-5030</p> <p>01-107-06 01-107-06W 01-107-06MB 01-107-A6 01-107-A6W 01-107-A6MB 01-5030</p> <p>01-109-06 01-109-06W 01-109-06MB 01-109-A6 01-109-A6W 01-109-A6MB 01-5030</p> <p>01-110-06 01-110-06W 01-110-06MB 01-110-A6 01-110-A6W 01-110-A6MB 01-5032K</p> <p>01-114-06 01-114-06W 01-114-06MB 01-114-A6 01-114-A6W 01-114-A6MB 01-5037</p>	<p>1600 x 700 x 420 1600 x 700 x 420 1600 x 700 x 420 1600 x 700 x 420 1600 x 700 x 420 1600 x 700 x 420</p> <p>1700 x 700 x 420 1700 x 700 x 420 1700 x 700 x 420 1700 x 700 x 420 1700 x 700 x 420 1700 x 700 x 420</p> <p>1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420</p> <p>1800 x 750 x 420 1800 x 750 x 420 1800 x 750 x 420 1800 x 750 x 420 1800 x 750 x 420 1800 x 750 x 420</p> <p>1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420</p> <p>1900 x 900 x 420 1900 x 900 x 420 1900 x 900 x 420 1900 x 900 x 420 1900 x 900 x 420 1900 x 900 x 420</p>			<p>Stocked Colour alpine white</p> <p>14 - 16 Weeks for all other colours</p>

INCLUDES: Sound Insulation, Overflow and Waste Fittings.


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip DISCREET OPULENCE Type A (1 Grip), chrome Note: Handle position as per specification	01-5906				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CLASSIC DUO OVAL FREESTANDING

- pure simplicity and unpretentious elegance are what distinguish these baths
- bathing with a friend: two identical back rests and centrally positioned waste
- the moulded panel emphasises the high design standard
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULENCE



Model No.		113-7	111-7
External length	a ₁	1700	1800 mm
External length (bottom)	a ₃	1635	1735 mm
Internal length (top)	a ₆	1580	1680 mm
Internal length (bottom)	a ₇	1130	1230 mm
External width	b ₁	750	800 mm
External width (bottom)	b ₃	685	735 mm
Internal width (top)	b ₆	630	680 mm
Internal width (bottom)	b ₁₁	500	550 mm
Depth inside	c ₁	420	420 mm
Depth incl. waste hole	c ₂	430	430 mm
Height of rim	c ₄	32	32 mm
Overall height with panel	c ₉	602	602 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	305	330 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	722	772 mm
Distance bath edge (foot end) to end of grip	g ₂	978	1028 mm
Distance foot end of bath edge to centre of foot	h ₂	560	600 mm
Distance between the feet	h ₄	580	600 mm
Width of feet max.	h ₆	450	540 mm
External radius	r ₁	375	400 mm
Water volume		124	158 l
Net weight		78	88 kg
Diameter of Anti-slip		∅ 435	∅ 435 mm
Full anti-slip		900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm			Delivery Times
CLASSIC DUO OVAL FREESTANDING white matt WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK black matt 100 WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK	01-113-7-0711-06 01-113-7-0711-06W 01-113-7-0711-06MB 01-113-7-0711-A6 01-113-7-0711-A6W 01-113-7-0711-A6MB	1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420			14 - 16 Weeks
	01-111-7-0711-06 01-111-7-0711-06W 01-111-7-0711-06MB 01-111-7-0711-A6 01-111-7-0711-A6W 01-111-7-0711-A6MB	1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420			
	01-113-7-0676-06 01-113-7-0676-06W 01-113-7-0676-06MB 01-113-7-0676-A6 01-113-7-0676-A6W 01-113-7-0676-A6MB	1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420 1700 x 750 x 420			
	01-111-7-0676-06 01-111-7-0676-06W 01-111-7-0676-06MB 01-111-7-0676-A6 01-111-7-0676-A6W 01-111-7-0676-A6MB	1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420 1800 x 800 x 420			


INCLUDES: Overflow and Waste Fittings.

OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for white matt & black matt 100				14 - 16 Weeks
Anti-Slip					
Full Anti-Slip					
Grip ELEGANT PURISM Type A (1 Grip), chrome Note: Handle position as per specification	01-5904				

➤ Air Spa Systems Available for this model. See options on page 5.

CLASSIC DUO OVAL FREESTANDING

- pure simplicity and unpretentious elegance are what distinguish these baths
- bathing with a friend: two identical back rests and centrally positioned waste
- the moulded panel emphasises the high design standard
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULENCE



Model No.		112-FS	113-FS	111-FS
External length	a ₁	1600	1700	1800 mm
External length (bottom)	a ₃	1481	1635	1735 mm
Internal length (top)	a ₆	1480	1580	1680 mm
Internal length (bottom)	a ₇	1030	1130	1230 mm
External width	b ₁	700	750	800 mm
External width (bottom)	b ₃	575	685	735 mm
Internal width (top)	b ₆	580	630	680 mm
Internal width (bottom)	b ₁₁	450	500	550 mm
Depth inside	c ₁	420	420	420 mm
Depth incl. waste hole	c ₂	430	430	430 mm
Height of rim	c ₄	32	32	32 mm
Overall height with panel	c ₉	602	602	602 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70	70 mm
Distance bath edge to centre of waste hole	f ₂	800	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	280	305	330 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	672	722	772 mm
Distance bath edge (foot end) to end of grip	g ₂	928	978	1028 mm
Distance foot end of bath edge to centre of foot	h ₂	560	560	600 mm
Distance between the feet	h ₄	480	580	600 mm
Width of feet max.	h ₆	410	450	540 mm
External radius	r ₁	350	375	400 mm
Water volume		95	124	158 l
Net weight		74	78	88 kg
Diameter of Anti-slip		∅ 288	∅ 435	∅ 435 mm
Full anti-slip		850 x 240	900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI


	Model Order No.	Dimensions mm			Delivery Times
CLASSIC DUO OVAL FREESTANDING					
WITH OVERFLOW CHROME	01-112-FS-06	1600 x 700 x 420			Stocked Item
WITH OVERFLOW WHITE	01-112-FS-06W	1600 x 700 x 420			
WITH OVERFLOW MATT BLACK	01-112-FS-06MB	1600 x 700 x 420			
WITH MULTIFILLER CHROME	01-112-FS-A6	1600 x 700 x 420			
WITH MULTIFILLER WHITE	01-112-FS-A6W	1600 x 700 x 420			
WITH MULTIFILLER MATT BLACK	01-112-FS-A6MB	1600 x 700 x 420			
WITH OVERFLOW CHROME	01-113-FS-06	1700 x 750 x 420			
WITH OVERFLOW WHITE	01-113-FS-06W	1700 x 750 x 420			
WITH OVERFLOW MATT BLACK	01-113-FS-06MB	1700 x 750 x 420			
WITH MULTIFILLER CHROME	01-113-FS-A6	1700 x 750 x 420			
WITH MULTIFILLER WHITE	01-113-FS-A6W	1700 x 750 x 420			
WITH MULTIFILLER MATT BLACK	01-113-FS-A6MB	1700 x 750 x 420			
WITH OVERFLOW CHROME	01-111-FS-06	1800 x 800 x 420			
WITH OVERFLOW WHITE	01-111-FS-06W	1800 x 800 x 420			
WITH OVERFLOW MATT BLACK	01-111-FS-06MB	1800 x 800 x 420			
WITH MULTIFILLER CHROME	01-111-FS-A6	1800 x 800 x 420			
WITH MULTIFILLER WHITE	01-111-FS-A6W	1800 x 800 x 420			
WITH MULTIFILLER MATT BLACK	01-111-FS-A6MB	1800 x 800 x 420			
INCLUDES: Overflow and Waste Fittings.					

OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
SOUND PADS	01-5001				Stocked Item
Easy-Clean	Note: Easy-Clean not available for white matt & black matt 100				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip ELEGANT PURISM Type A (1 Grip), chrome Note: Handle position as per specification	01-5904				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ Air Spa Systems Available for this model. See options on page 5.

CLASSIC DUO OVAL

- pure simplicity and unpretentious elegance are what distinguish these baths
- bathing with a friend: two identical back rests and centrally positioned waste
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULENCE



Model No.		112	116	113	111
External length	a ₁	1600	1700	1700	1800 mm
Internal length (top)	a ₆	1480	1580	1580	1680 mm
Internal length (bottom)	a ₇	1030	1130	1130	1230 mm
External width	b ₁	700	700	750	800 mm
Internal width (top)	b ₆	580	580	630	680 mm
Internal width (bottom)	b ₁₁	450	450	500	550 mm
Depth inside	c ₁	420	420	420	420 mm
Depth incl. waste hole	c ₂	430	430	430	430 mm
Height with feet	c ₃	560 - 590	565 - 600	555 - 590	555 - 590 mm
Height of rim	c ₄	32	32	32	32 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	60; 60	60; 60	60; 60	60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70	70	70 mm
Distance bath edge to centre of waste hole	f ₂	800	850	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	280	280	305	330 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	672	722	722	772 mm
Distance bath edge (foot end) to end of grip	g ₂	928	978	978	1028 mm
Distance foot end of bath edge to centre of foot	h ₂	560	560	560	600 mm
Distance between the feet	h ₄	480	580	580	600 mm
Width of feet max.	h ₆	410	420	450	540 mm
External radius	r ₁	350	350	375	400 mm
Water volume		95	110	124	158 l
Net weight		40	44	44	50 kg
Diameter of Anti-slip		∅ 288	∅ 288	∅ 435	∅ 435 mm
Full anti-slip		850 x 240	900 x 300	900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Times
CLASSIC DUO OVAL						
WITH OVERFLOW CHROME	01-112-06	1600 x 700 x 420				
WITH OVERFLOW WHITE	01-112-06W	1600 x 700 x 420				
WITH OVERFLOW MATT BLACK	01-112-06MB	1600 x 700 x 420				
WITH MULTIFILLER CHROME	01-112-A6	1600 x 700 x 420				
WITH MULTIFILLER WHITE	01-112-A6W	1600 x 700 x 420				
WITH MULTIFILLER MATT BLACK	01-112-A6MB	1600 x 700 x 420				
Leg System for 112	01-5030					
WITH OVERFLOW CHROME	01-116-06	1700 x 700 x 420				
WITH OVERFLOW WHITE	01-116-06W	1700 x 700 x 420				
WITH OVERFLOW MATT BLACK	01-116-06MB	1700 x 700 x 420				
WITH MULTIFILLER CHROME	01-116-A6	1700 x 700 x 420				
WITH MULTIFILLER WHITE	01-116-A6W	1700 x 700 x 420				
WITH MULTIFILLER MATT BLACK	01-116-A6MB	1700 x 700 x 420				
Leg System for 116	01-5030					
WITH OVERFLOW CHROME	01-113-06	1700 x 750 x 420				
WITH OVERFLOW WHITE	01-113-06W	1700 x 750 x 420				
WITH OVERFLOW MATT BLACK	01-113-06MB	1700 x 750 x 420				
WITH MULTIFILLER CHROME	01-113-A6	1700 x 750 x 420				
WITH MULTIFILLER WHITE	01-113-A6W	1700 x 750 x 420				
WITH MULTIFILLER MATT BLACK	01-113-A6MB	1700 x 750 x 420				
Leg System for 113	01-5030					
WITH OVERFLOW CHROME	01-111-06	1800 x 800 x 420				
WITH OVERFLOW WHITE	01-111-06W	1800 x 800 x 420				
WITH OVERFLOW MATT BLACK	01-111-06MB	1800 x 800 x 420				
WITH MULTIFILLER CHROME	01-111-A6	1800 x 800 x 420				
WITH MULTIFILLER WHITE	01-111-A6W	1800 x 800 x 420				
WITH MULTIFILLER MATT BLACK	01-111-A6MB	1800 x 800 x 420				
Leg System for 111	01-5032K					

INCLUDES: Sound Insulation, Overflow and Waste Fittings.


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip DISCREET OPULENCE Type A (1 Grip), chrome Note: Handle position as per specification	01-5906				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems Available for built-in model only, Air Spa Systems Available for built-in and freestanding model.
See options on page 5.

DYNA SET

- one-seater bath with waste at foot end
- combi-bath suitable for bathing and showering
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



Model No.		624	626	620	622
External length	a ₁	1500	1600	1700	1800 mm
Internal length (top)	a ₆	1340	1440	1565	1565 mm
Internal length (bottom)	a ₇	1050	1155	1230	1230 mm
External width	b ₁	750	700	750	800 mm
Internal width (top)	b ₆ ; b ₇	640; 640	590; 590	640; 620	640; 620 mm
Internal width (bottom)	b ₁₁ ; b ₁₂	500; 520	450; 470	500; 520	500; 520 mm
Depth inside	c ₁	420	420	420	420 mm
Depth incl. waste hole	c ₂	430	430	430	430 mm
Height with feet	c ₃	561-586	561-586	561-586	561-586 mm
Height of rim	c ₄	32	32	32	32 mm
Width of rim (foot end)	e ₁	100	100	75	125 mm
Distance top edge to centre of overflow hole	f ₁	70	70	70	70 mm
Distance bath edge to centre of waste hole	f ₂	310	310	285	335 mm
Distance centre of waste hole to centre of overflow hole	f ₇	206	206	206	206 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	505	505	525	525 mm
Distance bath edge (foot end) to end of grip	g ₂	780	780	800	800 mm
Distance foot end of bath edge to centre of foot	h ₂	410	410	410	415 mm
Distance between the feet	h ₄	590	690	760	805 mm
Width of feet max.	h ₆	495	445	495	495 mm
External radius	r ₁	23	23	23	23 mm
Water volume		133	122	169	169 l
Net weight		45	46	53	68 kg
Diameter of anti-slip		∅ 288	∅ 288	∅ 435	∅ 435 mm
Full anti-slip		600 x 220	850 x 240	900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Times
DYNA SET						
WITH OVERFLOW CHROME	01-624-06	1500 x 750 x 420				
WITH OVERFLOW WHITE	01-624-06W	1500 x 750 x 420				
WITH OVERFLOW MATT BLACK	01-624-06MB	1500 x 750 x 420				
WITH MULTIFILLER CHROME	01-624-A6	1500 x 750 x 420				
WITH MULTIFILLER WHITE	01-624-A6W	1500 x 750 x 420				
WITH MULTIFILLER MATT BLACK	01-624-A6MB	1500 x 750 x 420				
Leg System for 624	01-5030					
WITH OVERFLOW CHROME	01-620-06	1700 x 750 x 420				
WITH OVERFLOW WHITE	01-620-06W	1700 x 750 x 420				
WITH OVERFLOW MATT BLACK	01-620-06MB	1700 x 750 x 420				
WITH MULTIFILLER CHROME	01-620-A6	1700 x 750 x 420				
WITH MULTIFILLER WHITE	01-620-A6W	1700 x 750 x 420				
WITH MULTIFILLER MATT BLACK	01-620-A6MB	1700 x 750 x 420				
Leg System for 620	01-5030					
WITH OVERFLOW CHROME	01-622-06	1800 x 800 x 420				
WITH OVERFLOW WHITE	01-622-06W	1800 x 800 x 420				
WITH OVERFLOW MATT BLACK	01-622-06MB	1800 x 800 x 420				
WITH MULTIFILLER CHROME	01-622-A6	1800 x 800 x 420				
WITH MULTIFILLER WHITE	01-622-A6W	1800 x 800 x 420				
WITH MULTIFILLER MATT BLACK	01-622-A6MB	1800 x 800 x 420				
Leg System for 622	01-5030					
WITH OVERFLOW CHROME	01-626-06	1600 x 700 x 420				
WITH OVERFLOW WHITE	01-626-06W	1600 x 700 x 420				
WITH OVERFLOW MATT BLACK	01-626-06MB	1600 x 700 x 420				
WITH MULTIFILLER CHROME	01-626-A6	1600 x 700 x 420				
WITH MULTIFILLER WHITE	01-626-A6W	1600 x 700 x 420				
WITH MULTIFILLER MATT BLACK	01-626-A6MB	1600 x 700 x 420				
Leg System for 626	01-5030					

INCLUDES: Sound Insulation, Overflow and Waste Fittings.


OPTIONS:						
SOUND WAVE Audio System	01-6801					Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV					14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean					
Anti-Slip						
Full Anti-Slip						
Grip DYNA SET STAR (2 Grips), chrome Note: Handle position as per specification	01-5911					
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH					2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

PURO WITH SIDE OVERFLOW

- straightlined, purist design
- classic four-cornered model
- one-seater bath with side overflow
- perfect match for the PURO basin range
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP ELEGANT PURISM




Model No.		684	688	656	692	657	697
External length	a ₁	1600	1700	1700	1700	1800	1900 mm
Internal length (top)	a ₆	1410	1510	1510	1510	1610	1710 mm
Internal length (bottom)	a ₇	1180	1280	1280	1280	1380	1480 mm
External width	b ₁	700	700	750	800	800	900 mm
Internal width (top)	b ₆	580	580	630	630	680	770 mm
Internal width (bottom)	b ₁₁	410	410	460	460	510	615 mm
Depth inside	c ₁	410	410	410	410	410	410 mm
Depth incl. waste hole	c ₂	420	420	420	420	420	420 mm
Height with feet	c ₃	552 - 572	552 - 565	553 - 573	555 - 565	551 - 571	547 - 560 mm
Height of rim	c ₄	32	32	32	32	32	32 mm
Width of rim (foot end; long side; head end)	e ₁ ; e ₂ ; e ₆	90; 60; 100	90; 60; 100	90; 60; 100	90; 85; 100	90; 60; 100	90; 65; 100 mm
Distance top edge to centre of overflow hole	f ₁	70	70	70	70	70	70 mm
Distance bath edge to centre of waste hole	f ₂	570	570	570	570	570	570 mm
Distance centre of waste hole to centre of overflow hole	f ₇	275	275	300	300	325	375 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52	∅ 52	∅ 52	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	671	721	721	721	771	821 mm
Distance bath edge (foot end) to end of grip	g ₂	929	979	979	979	1029	1079 mm
Distance foot end of bath edge to centre of foot	h ₂	435	445	445	445	460	395 mm
Distance between the feet	h ₄	705	750	750	750	820	945 mm
Width of feet max.	h ₆	410	420	445	480	485	625 mm
External radius	r ₁	23	23	23	23	23	23 mm
Water volume		105	121	137	140	170	230 l
Net weight		45	48	51	53	57	65 kg
Anti-slip		300 x 300	300 x 300	348 x 348	348 x 348	396 x 396	396 x 396 mm
Full anti-slip		708 x 252	876 x 252	1020 x 348	924 x 348	1165 x 396	1260 x 396 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI

VAIO SET

- one-seater bath with side overflow and integrated arm rests
- combi-bath suitable for bathing and showering
- versatile for any installation situation
- also available with grips
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



GRIP DISCREET OPULENCE



Model No.		956	954
External length	a ₁	1600	1700 mm
Internal length (top)	a ₆	1460	1560 mm
Internal length (bottom)	a ₇	1200	1300 mm
External width	b ₁	700	750 mm
Internal width bathing area (with; without armrest)	b ₈ ; b ₉	580; 470	630; 505 mm
Internal width (bottom)	b ₁₁ ; b ₁₂	420; 475	450; 525 mm
Depth inside	c ₁	420	420 mm
Depth incl. waste hole	c ₂	430	430 mm
Height with feet	c ₃	560 - 580	560 - 580 mm
Height of rim	c ₄	32	32 mm
Armrest depth	c ₅	175	175 mm
Width of rim (foot end; long side; head end)	e ₁ ; e ₂ ; e ₂	80; 60; 60	80; 60; 60 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	575	625 mm
Distance centre of waste hole to centre of overflow hole	f ₇	280	310 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	672	722 mm
Distance bath edge (foot end) to end of grip	g ₂	928	1028 mm
Distance foot end of bath edge to centre of foot	h ₂	435	435 mm
Distance between the feet	h ₄	625	725 mm
Width of feet max.	h ₆	425	488 mm
External radius	r ₁	23	23 mm
Water volume		100	135 l
Net weight		45	50 kg
Diameter of anti-slip		∅ 288	∅ 288 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Times
VAIO SET						
WITH OVERFLOW CHROME	01-956-06	1600 x 700 x 420				Stocked Colour alpine white 14 - 16 Weeks for all other colours
WITH OVERFLOW WHITE	01-956-06W	1600 x 700 x 420				
WITH OVERFLOW MATT BLACK	01-956-06MB	1600 x 700 x 420				
WITH MULTIFILLER CHROME	01-956-A6	1600 x 700 x 420				
WITH MULTIFILLER WHITE	01-956-A6W	1600 x 700 x 420				
WITH MULTIFILLER MATT BLACK	01-956-A6MB	1600 x 700 x 420				
Leg System for 956	01-5030					
WITH OVERFLOW CHROME	01-954-06	1700 x 750 x 420				
WITH OVERFLOW WHITE	01-954-06W	1700 x 750 x 420				
WITH OVERFLOW MATT BLACK	01-954-06MB	1700 x 750 x 420				
WITH MULTIFILLER CHROME	01-954-A6	1700 x 750 x 420				
WITH MULTIFILLER WHITE	01-954-A6W	1700 x 750 x 420				
WITH MULTIFILLER MATT BLACK	01-954-A6MB	1700 x 750 x 420				
Leg System for 954	01-5030					
INCLUDES: Sound Insulation, Overflow and Waste Fittings.						


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip DISCREET OPULENCE Type C (1 Grip), chrome Note: Handle position as per specification	01-5913				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CAYONO WIDE

- bathing well designed to maximize bathing area and permit comfortable showering
- one-seater bath with waste at foot end
- modern rectangular bathtub with spacious interior of the tub
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



Model No.		161	164
External length	a ₁	1524	1524 mm
Internal length (top)	a ₆	1366	1366 mm
Internal length (bottom)	a ₇	900	900 mm
External width	b ₁	813	914 mm
Internal width (top)	b ₆	670	770 mm
Internal width (bottom)	b ₁₁	355	455 mm
Depth inside	c ₁	443	443 mm
Depth incl. waste hole	c ₂	453	453 mm
Height with feet min.	c _{3a}	588	586 mm
Height with feet max.	c _{3b}	610	610 mm
Height of rim	c ₄	32	32 mm
Width of rim (foot end)	e ₁	75	75 mm
Width of rim (lengthwise)	e ₂	72	72 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	249	249 mm
Distance centre of waste hole to centre of overflow hole	f ₇	173	173 mm
Diameter of overflow hole	f ₈	∅ 63	∅ 63 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52 mm
Distance foot end of bath edge to centre of foot	h ₂	380	380 mm
Distance between the feet	h ₄	635	637 mm
Width of feet max.	h ₆	485	550 mm
External radius	r ₁	23	23 mm
Water volume		142	181 l
Net weight		50	54.2 kg

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm		Delivery Times
CAYONO WIDE WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 164 WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 161	01-164-06 01-164-06W 01-164-06MB 01-164-A6 01-164-A6W 01-164-A6MB 01-5037	1524 x 914 x 443 1524 x 914 x 443 1524 x 914 x 443 1524 x 914 x 443 1524 x 914 x 443 1524 x 914 x 443		Stocked Item
	01-161-06 01-161-06W 01-161-06MB 01-161-A6 01-161-A6W 01-161-A6MB 01-5037	1524 x 813 x 443 1524 x 813 x 443 1524 x 813 x 443 1524 x 813 x 443 1524 x 813 x 443 1524 x 813 x 443		14 - 16 Weeks

INCLUDES: Sound Insulation, Overflow and Waste Fittings.


OPTIONS:	Model Order No.			
SOUND WAVE Audio System	01-6801			Stocked Item
Easy-Clean				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean			
Anti-Slip				
Full Anti-Slip				

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CAYONO

NO OVERFLOW

- one-seater bath with waste at foot end
- modern rectangular bathtub with spacious interior of the tub
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



UNIVERSAL GRIP



SOUND WAVE

Model No.		747	748	749	750	751
External length	a ₁	1500	1600	1700	1700	1800 mm
Internal length (top)	a ₆	1310	1410	1510	1510	1610 mm
Internal length (bottom)	a ₇	1010	1110	1210	1210	1310 mm
External width	b ₁	700	700	700	750	800 mm
Internal width (top)	b ₆	570	570	570	610	660 mm
Internal width (bottom)	b ₁₁	400	400	400	450	510 mm
Depth inside	c ₁	400	400	400	400	400 mm
Depth incl. waste hole	c ₂	410	410	410	410	410 mm
Height with feet	c ₃	535 - 555	543 - 563	537 - 559	538 - 553	528 - 543 mm
Height of rim	c ₄	32	32	32	32	32 mm
Width of rim (foot end; long side; head end)	e ₁ ; e ₂ ; e ₆	110; 63; 80	110; 63; 80	110; 63; 80	110; 63; 80	110; 63; 80 mm
Distance bath edge to centre of waste hole	f ₂	330	330	330	330	330 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	534	584	634	634	684 mm
Distance bath edge (foot end) to end of grip	g ₂	809	859	909	909	959 mm
Distance foot end of bath edge to centre of foot	h ₂	450	450	455	450	450 mm
Distance between the feet	h ₄	560	655	742	745	820 mm
Width of feet max.	h ₆	435	430	440	475	560 mm
External radius	r ₁	23	23	23	23	23 mm
Water volume		89	107	110	136	171 l
Net weight		43	45	48	52	57 kg
Anti-slip		455 x 315	455 x 315	455 x 315	575 x 375	575 x 375 mm
Full anti-slip		655 x 315	735 x 315	855 x 315	855 x 375	935 x 375 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm		Delivery Times
CAYONO NO OVERFLOW	01-747-1	1500 x 700 x 400		Stocked Item
	01-748-1	1600 x 700 x 400		
	01-749-1	1700 x 700 x 400		
	01-750-1	1700 x 750 x 400		
	Leg System	01-5030		


OPTIONS:	Model Order No.			Delivery Times
SOUND WAVE Audio System	01-6801			Stocked Item
Sound Pads	01-5001			Stocked Item
Easy-Clean				14 - 16 Weeks
Invisible Grip	Note: Cannot be combined with Easy-Clean			
Anti-Slip				
Full Anti-Slip				
Grip UNIVERSAL Type A (2 Grips), chrome Note: Handle position as per specification	01-5876C			
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH			2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CAYONO

- one-seater bath with waste at foot end
- modern rectangular bathtub with spacious interior
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



UNIVERSAL GRIP



SOUND WAVE

Model No.		747	748	749	750	751
External length	a ₁	1500	1600	1700	1700	1800 mm
Internal length (top)	a ₅	1310	1410	1510	1510	1610 mm
Internal length (bottom)	a ₇	1010	1110	1210	1210	1310 mm
External width	b ₁	700	700	700	750	800 mm
Internal width (top)	b ₅	570	570	570	610	660 mm
Internal width (bottom)	b ₁₁	400	400	400	450	510 mm
Depth inside	c ₁	400	400	400	400	400 mm
Depth incl. waste hole	c ₂	410	410	410	410	410 mm
Height with feet	c ₃	535 - 555	543 - 563	537 - 559	538 - 553	528 - 543 mm
Height of rim	c ₄	32	32	32	32	32 mm
Width of rim (foot end; long side; head end)	e ₁ ; e ₂ ; e ₆	110; 63; 80	110; 63; 80	110; 63; 80	110; 63; 80	110; 63; 80 mm
Distance top edge to centre of overflow hole	f ₁	65	65	65	65	65 mm
Distance bath edge to centre of waste hole	f ₂	330	330	330	330	330 mm
Distance centre of waste hole to centre of overflow hole	f ₇	213	213	213	213	213 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52	∅ 52	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	534	584	634	634	684 mm
Distance bath edge (foot end) to end of grip	g ₂	809	859	909	909	959 mm
Distance foot end of bath edge to centre of foot	h ₂	450	450	455	450	450 mm
Distance between the feet	h ₄	560	655	742	745	820 mm
Width of feet max.	h ₆	435	430	440	475	560 mm
External radius	r ₁	23	23	23	23	23 mm
Water volume		89	107	110	136	171 l
Net weight		43	45	48	52	57 kg
Anti-slip		455 x 315	455 x 315	455 x 315	575 x 375	575 x 375 mm
Full anti-slip		655 x 315	735 x 315	855 x 315	855 x 375	935 x 375 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm			Delivery Times
CAYONO					
WITH OVERFLOW CHROME	01-747-06	1500 x 700 x 400			
WITH OVERFLOW WHITE	01-747-06W	1500 x 700 x 400			
WITH OVERFLOW MATT BLACK	01-747-06MB	1500 x 700 x 400			
WITH MULTIFILLER CHROME	01-747-A6	1500 x 700 x 400			
WITH MULTIFILLER WHITE	01-747-A6W	1500 x 700 x 400			
WITH MULTIFILLER MATT BLACK	01-747-A6MB	1500 x 700 x 400			
Leg System for 747	01-5030				
WITH OVERFLOW CHROME	01-748-06	1600 x 700 x 400			
WITH OVERFLOW WHITE	01-748-06W	1600 x 700 x 400			
WITH OVERFLOW MATT BLACK	01-748-06MB	1600 x 700 x 400			
WITH MULTIFILLER CHROME	01-748-A6	1600 x 700 x 400			
WITH MULTIFILLER WHITE	01-748-A6W	1600 x 700 x 400			
WITH MULTIFILLER MATT BLACK	01-748-A6MB	1600 x 700 x 400			
Leg System for 748	01-5030				
WITH OVERFLOW CHROME	01-750-06	1700 x 750 x 400			
WITH OVERFLOW WHITE	01-750-06W	1700 x 750 x 400			
WITH OVERFLOW MATT BLACK	01-750-06MB	1700 x 750 x 400			
WITH MULTIFILLER CHROME	01-750-A6	1700 x 750 x 400			
WITH MULTIFILLER WHITE	01-750-A6W	1700 x 750 x 400			
WITH MULTIFILLER MATT BLACK	01-750-A6MB	1700 x 750 x 400			
Leg System for 750	01-5030				
WITH OVERFLOW CHROME	01-751-06	1800 x 800 x 400			
WITH OVERFLOW WHITE	01-751-06W	1800 x 800 x 400			
WITH OVERFLOW MATT BLACK	01-751-06MB	1800 x 800 x 400			
WITH MULTIFILLER CHROME	01-751-A6	1800 x 800 x 400			
WITH MULTIFILLER WHITE	01-751-A6W	1800 x 800 x 400			
WITH MULTIFILLER MATT BLACK	01-751-A6MB	1800 x 800 x 400			
Leg System for 751	01-5037				
WITH OVERFLOW CHROME	01-749-06	1700 x 700 x 400			
WITH OVERFLOW WHITE	01-749-06W	1700 x 700 x 400			
WITH OVERFLOW MATT BLACK	01-749-06MB	1700 x 700 x 400			
WITH MULTIFILLER CHROME	01-749-A6	1700 x 700 x 400			
WITH MULTIFILLER WHITE	01-749-A6W	1700 x 700 x 400			
WITH MULTIFILLER MATT BLACK	01-749-A6MB	1700 x 700 x 400			
Leg System for 749	01-5030				

INCLUDES: Sound Insulation, Overflow and Waste Fittings.


OPTIONS:	Model Order No.			Delivery Times
SOUND WAVE Audio System	01-6801			Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV			14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean			
Anti-Slip				
Full Anti-Slip				
Grip UNIVERSAL Type A (2 Grips), chrome Note: Handle position as per specification	01-5876C			
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH			2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CAYONO DUO NO OVERFLOW

- modern rectangular bathtub with straight lines and small radii
- perfect match for the CAYONO model range
- two gently sloping backrests and the central waste and overflow fitting ensure relaxed bathing with a partner
- spacious interior provides ample room for a relaxing bath
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



UNIVERSAL GRIP



Model No.		724
External length	a ₁	1700 mm
Internal length (top)	a ₆	1540 mm
Internal length (bottom)	a ₇	1220 mm
External width	b ₁	750 mm
Internal width (top)	b ₆	624 mm
Internal width (bottom)	b ₁₁	410 mm
Depth inside	c ₁	400 mm
Depth incl. waste hole	c ₂	410 mm
Height with feet	c ₃	545 - 580 mm
Height of rim	c ₄	32 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	80; 63 mm
Distance bath edge to centre of waste hole	f ₂	850 mm
Diameter of waste hole	f ₃	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	713 mm
Distance bath edge (foot end) to end of grip	g ₂	987 mm
Distance foot end of bath edge to centre of foot	h ₂	513 mm
Distance between the feet	h ₄	675 mm
Width of feet max.	h ₆	475 mm
External radius	f ₁	23 mm
Water volume		130 l
Net weight		48 kg
Diameter of anti-slip		∅ 289 mm
Full anti-slip		855 x 315 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm		Delivery Times
CAYONO DUO NO OVERFLOW Leg System	01-724-1 01-5037	1700 x 750 x 400		Stocked Item *Stock available early 2024


OPTIONS:	Model Order No.			Delivery Times
SOUND WAVE Audio System	01-6801			Stocked Item
Sound Pads	01-5001			Stocked Item
Easy-Clean				14 - 16 Weeks
Invisible Grip	Note: Cannot be combined with Easy-Clean			
Anti-Slip				
Full Anti-Slip				
Grip UNIVERSAL Type A (2 Grips), chrome Note: Handle position as per specification	01-5876C			
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH			2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

CAYONO DUO

- modern rectangular bathtub with straight lines and small radii
- perfect match for the CAYONO model range
- two gently sloping backrests and the central waste and overflow fitting ensure relaxed bathing with a partner
- spacious interior provides ample room for a relaxing bath
- made of KALDEWEI steel enamel
- **30 YEAR WARRANTY**



Model No.		724	725
External length	a ₁	1700	1800 mm
Internal length (top)	a ₆	1540	1640 mm
Internal length (bottom)	a ₇	1220	1320 mm
External width	b ₁	750	800 mm
Internal width (top)	b ₆	624	674 mm
Internal width (bottom)	b ₁₁	410	460 mm
Depth inside	c ₁	400	400 mm
Depth incl. waste hole	c ₂	410	410 mm
Height with feet	c ₃	545 - 580	539 - 573 mm
Height of rim	c ₄	32	32 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	80; 63	80; 63 mm
Distance top edge to centre of overflow hole	f ₁	70	70 mm
Distance bath edge to centre of waste hole	f ₂	850	900 mm
Distance centre of waste hole to centre of overflow hole	f ₇	305	330 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	713	763 mm
Distance bath edge (foot end) to end of grip	g ₂	987	1037 mm
Distance foot end of bath edge to centre of foot	h ₂	513	526 mm
Distance between the feet	h ₄	675	749 mm
Width of feet max.	h ₆	475	526 mm
External radius	r ₁	23	23 mm
Water volume		130	160 l
Net weight		48	54 kg
Diameter of anti-slip		∅ 289	∅ 435 mm
Full anti-slip		855 x 315	935 x 375 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm				Delivery Times
CAYONO DUO WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 724 WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 725	01-724-06 01-724-06W 01-724-06MB 01-724-A6 01-724-A6W 01-724-A6MB 01-5037	1700 x 750 x 400 1700 x 750 x 400 1700 x 750 x 400 1700 x 750 x 400 1700 x 750 x 400 1700 x 750 x 400				Stocked Colour alpine white 14 - 16 Weeks for all other colours
	01-725-06 01-725-06W 01-725-06MB 01-725-A6 01-725-A6W 01-725-A6MB 01-5037	1800 x 800 x 400 1800 x 800 x 400 1800 x 800 x 400 1800 x 800 x 400 1800 x 800 x 400 1800 x 800 x 400				
INCLUDES: Sound Insulation, Overflow and Waste Fittings.						


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean	Note: Easy-Clean not available for Colour Group IV				14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip UNIVERSAL Type A (Single Grip), chrome Note: Handle position as per specification	01-5876				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

SANIFORM PLUS NO OVERFLOW

- one-seater bath with waste at foot end
- classic four-cornered model
- made of KALDEWEI steel enamel
- designed by Phoenix Design
- **30 YEAR WARRANTY**



Model No.		360	361	362	372	363	373	375
External length	a ₁	1400	1500	1600	1600	1700	1700	1800 mm
Internal length (top)	a ₆	1230	1330	1430	1430	1530	1530	1630 mm
Internal length (bottom)	a ₇	850	950	1050	1050	1150	1150	1250 mm
External width	b ₁	700	700	700	750	700	750	800 mm
Internal width (top)	b ₆ ; b ₇	550; 530	550; 530	550; 530	600; 580	550; 530	600; 580	675; 640 mm
Internal width (bottom)	b ₁₁ ; b ₁₂	390; 350	390; 350	390; 350	440; 400	390; 350	440; 400	520; 450 mm
Depth inside	c ₁	400	400	400	400	400	400	420 mm
Depth incl. waste hole	c ₂	410	410	410	410	410	410	430 mm
Height with feet	c ₃	545 - 560	545 - 560	545 - 560	545 - 560	545 - 560	545 - 560	555 - 560 mm
Height of rim	c ₄	32	32	32	32	32	32	32 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	70; 75	70; 75	70; 75	70; 75	70; 75	70; 75	70; 75 mm
Distance bath edge to centre of waste hole	f ₂	310	320	310	310	310	310	310 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52	∅ 52	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	484	534	584	584	635	634	684 mm
Distance bath edge (foot end) to end of grip	g ₂	759	809	859	859	909	909	959 mm
Distance foot end of bath edge to centre of foot	h ₂	455	445	450	445	450	445	470 mm
Distance between the feet	h ₄	445	555	600	640	740	750	830 mm
Width of feet max.	h ₆	380	380	380	430	380	430	480 mm
External radius	r ₁	23	23	23	23	23	23	23 mm
Water volume		67	82	93	107	111	123	150 l
Net weight		39	41	45	46	47	49	55 kg
Diameter of anti-slip		∅ 288	∅ 288	∅ 288	∅ 288	∅ 288	∅ 288	∅ 288 mm
Full anti-slip		600 x 220	600 x 220	600 x 220	600 x 220	850 x 240	900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI


	Model Order No.	Dimensions mm		Delivery Times
SANIFORM PLUS NO OVERFLOW	01-360-1	1400 x 700 x 400		Stocked Item
	01-361-1	1500 x 700 x 400		
	01-362-1	1600 x 700 x 400		
	01-372-1	1600 x 750 x 400		
	01-363-1	1700 x 700 x 400		
	01-373-1	1700 x 750 x 400		
	01-375-1	1800 x 800 x 420		
Leg System for All Models	01-5030			

OPTIONS:	Model Order No.			Delivery Times
SOUND WAVE Audio System	01-6801			Stocked Item
Sound Pads	01-5001			Stocked Item
Easy-Clean				14 - 16 Weeks
Invisible Grip	Note: Cannot be combined with Easy-Clean			
Anti-Slip				
Full Anti-Slip				
Grip UNIVERSAL Type A (2 Grips), chrome Note: Handle position as per specification	01-5876C			
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH			2 - 4 Weeks
BATHE Bath Pop-Up Plug and Waste 40mm, chrome	23-BW110CHR			Stocked Item

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

SANIFORM PLUS WITH OVERFLOW

- one-seater bath with waste at foot end
- classic four-cornered model
- made of KALDEWEI steel enamel
- designed by Phoenix Design
- **30 YEAR WARRANTY**



UNIVERSAL GRIP



Model No.		360	361	362	372
External length	a ₁	1400	1500	1600	1600 mm
Internal length (top)	a ₆	1230	1330	1430	1430 mm
Internal length (bottom)	a ₇	850	950	1050	1050 mm
External width	b ₁	700	700	700	750 mm
Internal width (top)	b ₆ ; b ₇	550; 530	550; 530	550; 530	600; 580 mm
Internal width (bottom)	b ₁₁ ; b ₁₂	390; 350	390; 350	390; 350	440; 400 mm
Depth inside	c ₁	400	400	400	400 mm
Depth incl. waste hole	c ₂	410	410	410	410 mm
Height with feet	c ₃	545 - 560	545 - 560	545 - 560	545 - 560 mm
Height of rim	c ₄	32	32	32	32 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	70; 75	70; 75	70; 75	70; 75 mm
Distance top edge to centre of overflow hole	f ₁	63	63	63	63 mm
Distance bath edge to centre of waste hole	f ₂	310	320	310	310 mm
Distance centre of waste hole to centre of overflow hole	f ₇	212	222	212	218 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	484	534	584	584 mm
Distance bath edge (foot end) to end of grip	g ₂	759	809	859	859 mm
Distance foot end of bath edge to centre of foot	h ₂	455	445	450	445 mm
Distance between the feet	h ₄	445	555	600	640 mm
Width of feet max.	h ₆	380	380	380	430 mm
External radius	r ₁	23	23	23	23 mm
Water volume		67	82	93	107 mm
Net weight		39	41	45	46 mm
Diameter of anti-slip		∅ 288	∅ 288	∅ 288	∅ 288 mm
Full anti-slip		600 x 220	600 x 220	600 x 220	600 x 220 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm			Delivery Times
SANIFORM PLUS					
WITH OVERFLOW CHROME	01-360-06	1400 x 700 x 400			
WITH OVERFLOW WHITE	01-360-06W	1400 x 700 x 400			
WITH OVERFLOW MATT BLACK	01-360-06MB	1400 x 700 x 400			
WITH MULTIFILLER CHROME	01-360-A6	1400 x 700 x 400			
WITH MULTIFILLER WHITE	01-360-A6W	1400 x 700 x 400			
WITH MULTIFILLER MATT BLACK	01-360-A6MB	1400 x 700 x 400			
WITH OVERFLOW CHROME	01-361-06	1500 x 700 x 400			
WITH OVERFLOW WHITE	01-361-06W	1500 x 700 x 400			
WITH OVERFLOW MATT BLACK	01-361-06MB	1500 x 700 x 400			
WITH MULTIFILLER CHROME	01-361-A6	1500 x 700 x 400			
WITH MULTIFILLER WHITE	01-361-A6W	1500 x 700 x 400			
WITH MULTIFILLER MATT BLACK	01-361-A6MB	1500 x 700 x 400			
WITH OVERFLOW CHROME	01-362-06	1600 x 700 x 400			
WITH OVERFLOW WHITE	01-362-06W	1600 x 700 x 400			
WITH OVERFLOW MATT BLACK	01-362-06MB	1600 x 700 x 400			
WITH MULTIFILLER CHROME	01-362-A6	1600 x 700 x 400			
WITH MULTIFILLER WHITE	01-362-A6W	1600 x 700 x 400			
WITH MULTIFILLER MATT BLACK	01-362-A6MB	1600 x 700 x 400			
WITH OVERFLOW CHROME	01-372-06	1600 x 750 x 400			
WITH OVERFLOW WHITE	01-372-06W	1600 x 750 x 400			
WITH OVERFLOW MATT BLACK	01-372-06MB	1600 x 750 x 400			
WITH MULTIFILLER CHROME	01-372-A6	1600 x 750 x 400			
WITH MULTIFILLER WHITE	01-372-A6W	1600 x 750 x 400			
WITH MULTIFILLER MATT BLACK	01-372-A6MB	1600 x 750 x 400			
Leg System For All The Above Models	01-5030				
INCLUDES: Sound Insulation, Overflow and Waste Fittings.					


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean					14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip UNIVERSAL Type A (2 Grips), chrome Note: Handle position as per specification	01-5876C				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

SANIFORM PLUS WITH OVERFLOW

- one-seater bath with waste at foot end
- classic four-cornered model
- made of KALDEWEI steel enamel
- designed by Phoenix Design
- **30 YEAR WARRANTY**



UNIVERSAL GRIP



Model No.		363	373	375
External length	a ₁	1700	1700	1800 mm
Internal length (top)	a ₆	1530	1530	1630 mm
Internal length (bottom)	a ₇	1150	1150	1250 mm
External width	b ₁	730	750	800 mm
Internal width (top)	b ₆ ; b ₇	550; 530	600; 580	675; 640 mm
Internal width (bottom)	b ₁₁ ; b ₁₂	390; 350	440; 400	520; 450 mm
Depth inside	c ₁	400	400	420 mm
Depth incl. waste hole	c ₂	410	410	430 mm
Height with feet	c ₃	545 - 560	545 - 560	555 - 560 mm
Height of rim	c ₄	32	32	32 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	70; 75	70; 75	70; 75 mm
Distance top edge to centre of overflow hole	f ₁	63	63	75 mm
Distance bath edge to centre of waste hole	f ₂	310	310	310 mm
Distance centre of waste hole to centre of overflow hole	f ₇	212	218	216 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	635	634	684 mm
Distance bath edge (foot end) to end of grip	g ₂	909	909	959 mm
Distance foot end of bath edge to centre of foot	h ₂	450	445	470 mm
Distance between the feet	h ₄	740	750	830 mm
Width of feet max.	h ₆	380	430	480 mm
External radius	r ₁	23	23	23 mm
Water volume		111	123	150 l
Net weight		46	49	55 kg
Diameter of anti-slip		∅ 288	∅ 288	∅ 288 mm
Full anti-slip		850 x 240	900 x 300	900 x 300 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm			Delivery Times
SANIFORM PLUS					
WITH OVERFLOW CHROME	01-363-06	1700 x 700 x 400			
WITH OVERFLOW WHITE	01-363-06W	1700 x 700 x 400			
WITH OVERFLOW MATT BLACK	01-363-06MB	1700 x 700 x 400			
WITH MULTIFILLER CHROME	01-363-A6	1700 x 700 x 400			
WITH MULTIFILLER WHITE	01-363-A6W	1700 x 700 x 400			
WITH MULTIFILLER MATT BLACK	01-363-A6MB	1700 x 700 x 400			
WITH OVERFLOW CHROME	01-373-06	1700 x 750 x 400			
WITH OVERFLOW WHITE	01-373-06W	1700 x 750 x 400			
WITH OVERFLOW MATT BLACK	01-373-06MB	1700 x 750 x 400			
WITH MULTIFILLER CHROME	01-373-A6	1700 x 750 x 400			
WITH MULTIFILLER WHITE	01-373-A6W	1700 x 750 x 400			
WITH MULTIFILLER MATT BLACK	01-373-A6MB	1700 x 750 x 400			
WITH OVERFLOW CHROME	01-375-06	1800 x 800 x 420			
WITH OVERFLOW WHITE	01-375-06W	1800 x 800 x 420			
WITH OVERFLOW MATT BLACK	01-375-06MB	1800 x 800 x 420			
WITH MULTIFILLER CHROME	01-375-A6	1800 x 800 x 420			
WITH MULTIFILLER WHITE	01-375-A6W	1800 x 800 x 420			
WITH MULTIFILLER MATT BLACK	01-375-A6MB	1800 x 800 x 420			
Leg System For All The Above Models	01-5030				

INCLUDES: Sound Insulation, Overflow and Waste Fittings.


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean					14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip UNIVERSAL Type A (2 Grips), chrome Note: Handle position as per specification	01-5876C				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

SANIFORM DEEP

- one-seater bath with waste at foot end
- classic four-cornered model
- made of KALDEWEI steel enamel
- designed by Phoenix Design
- **30 YEAR WARRANTY**



UNIVERSAL GRIP



SOUND WAVE

Model No.		366	367
External length	a ₁	1400	1600 mm
Internal length (top)	a ₆	1240	1440 mm
Internal length (bottom)	a ₇	645	844 mm
External width	b ₁	750	750 mm
Internal width (top)	b ₆ ; b ₇	620; 590	620; 590 mm
Internal width (bottom)	b ₁₁ ; b ₁₂	280; 280	280; 280 mm
Depth inside	c ₁	470	470 mm
Depth incl. waste hole	c ₂	480	480 mm
Height with feet	c ₃	615 - 635	625 - 635 mm
Height of rim	c ₄	32	32 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	80; 85	80; 85 mm
Distance top edge to centre of overflow hole	f ₁	65	65 mm
Distance bath edge to centre of waste hole	f ₂	360	360 mm
Distance centre of waste hole to centre of overflow hole	f ₇	268	267 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	484	584 mm
Distance bath edge (foot end) to end of grip	g ₂	759	859 mm
Distance foot end of bath edge to centre of foot	h ₂	470	480 mm
Distance between the feet	h ₄	415	605 mm
Width of feet max.	h ₆	430	430 mm
External radius	r ₁	23	23 mm
Water volume		110	140 l
Net weight		41	49 kg
Diameter of anti-slip		∅ 288	∅ 288 mm
Full anti-slip		600 x 220	600 x 220 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
 ** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm			Delivery Times
SANIFORM DEEP WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 366 WITH OVERFLOW CHROME WITH OVERFLOW WHITE WITH OVERFLOW MATT BLACK WITH MULTIFILLER CHROME WITH MULTIFILLER WHITE WITH MULTIFILLER MATT BLACK Leg System for 367	01-366-06 01-366-06W 01-366-06MB 01-366-A6 01-366-A6W 01-366-A6MB 01-5030	1400 x 750 x 470 1400 x 750 x 470 1400 x 750 x 470 1400 x 750 x 470 1400 x 750 x 470 1400 x 750 x 470			Stocked Colour alpine white 14 - 16 Weeks for all other colours
	01-367-06 01-367-06W 01-367-06MB 01-367-A6 01-367-A6W 01-367-A6MB 01-5030	1600 x 750 x 470 1600 x 750 x 470 1600 x 750 x 470 1600 x 750 x 470 1600 x 750 x 470 1600 x 750 x 470			
INCLUDES: Sound Insulation, Overflow and Waste Fittings.					


OPTIONS:	Model Order No.				Delivery Times
SOUND WAVE Audio System	01-6801				Stocked Item
Easy-Clean					14 - 16 Weeks
Invisible Grip	Note: Available for alpine white only; cannot be combined with Easy-Clean				
Anti-Slip					
Full Anti-Slip					
Grip UNIVERSAL Type A (2 Grips), chrome Note: Handle position as per specification	01-5876C				
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH				2 - 4 Weeks

➤ For available colours and details on how to order, see page 7.

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

EUROWA NO OVERFLOW

- comfortable bathing or showering with waste at foot end
- classic minimal design
- versatile for any installation situation
- quality product made in Germany
- made of steel enamel
- **10 YEAR WARRANTY**



UNIVERSAL GRIP



Model No.		309	310	311	312	271
External length	a ₁	1400	1500	1600	1700	1700 mm
Internal length (top)	a ₆	1230	1330	1430	1530	1530 mm
Internal length (bottom)	a ₇	850	950	1050	1150	1150 mm
External width	b ₁	700	700	700	700	750 mm
Internal width (top)	b ₆ ; b ₇	550; 530	550; 530	550; 530	550; 530	600; 580 mm
Internal width (bottom)	b ₁₁ ; b ₁₂	390; 350	390; 350	390; 350	390; 350	440; 400 mm
Depth inside	c ₁	380	380	380	380	380 mm
Depth incl. waste hole	c ₂	390	390	390	390	390 mm
Height with feet	c ₃	515; 535	515; 535	515; 535	515; 535	-
Height of rim	c ₄	32	32	32	32	32 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	70; 75	70; 75	70; 75	70; 75	70; 75 mm
Distance bath edge to centre of waste hole	f ₂	310	320	320	310	310 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	484	534	584	635	635 mm
Distance bath edge (foot end) to end of grip	g ₂	759	809	859	909	909 mm
Distance foot end of bath edge to centre of foot	h ₂	455	445	452.5	450	-
Distance between the feet	h ₄	445	555	600	740	-
Width of feet max.	h ₆	380	380	380	380	-
External radius	r ₁	23	23	23	23	23 mm
Water volume		51	61	72	86	86 l
Net weight		39	41	45	47	47 kg
Diameter of anti-slip		∅ 288	∅ 288	∅ 288	∅ 288	∅ 288 mm
Full anti-slip		600 x 220	600 x 220	600 x 220	850 x 240	850 x 240 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI


	Model Order No.	Dimensions mm		Delivery Times
<p>EUROWA NO OVERFLOW</p> <p>Leg System For All The Above Models</p> <p>EUROWA NO OVERFLOW *No leg system available for this model</p>	01-309-1	1400 x 700 x 380		Stocked Item
	01-310-1	1500 x 700 x 380		
	01-311-1	1600 x 700 x 380		
	01-312-1	1700 x 700 x 380		
	01-5039			
	01-271-1	1700 x 750 x 380		

OPTIONS:	Model Order No.			Delivery Times
SOUND WAVE Audio System	01-6801			Stocked Item
Sound Pads	01-5001			Stocked Item
Anti-Slip				14 - 16 Weeks
Full Anti-Slip				
Grip UNIVERSAL Type A (2 Grips), chrome Note: Handle position as per specification	01-5876C			
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH			2 - 4 Weeks
BATHE Bath Pop-Up Plug and Waste 40mm, chrome	23-BW110CHR			Stocked Item

➤ **Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.**

EUROWA WITH OVERFLOW

- comfortable bathing or showering with waste at foot end
- classic minimal design
- versatile for any installation situation
- quality product made in Germany
- made of steel enamel
- **10 YEAR WARRANTY**



UNIVERSAL GRIP



SOUND WAVE

Model No.		310	311	312
External length	a ₁	1500	1600	1700 mm
Internal length (top)	a ₆	1330	1430	1530 mm
Internal length (bottom)	a ₇	950	1050	1150 mm
External width	b ₁	700	700	700 mm
Internal width (top)	b ₆ ; b ₇	550; 530	550; 530	550; 530 mm
Internal width (bottom)	b ₁₁ ; b ₁₂	390; 350	390; 350	390; 350 mm
Depth inside	c ₁	380	380	380 mm
Depth incl. waste hole	c ₂	390	390	390 mm
Height with feet	c ₃	515; 535	515; 535	515; 535 mm
Height of rim	c ₄	32	32	32 mm
Width of rim (foot end; long side)	e ₁ ; e ₂	70; 75	70; 75	70; 75 mm
Distance bath edge to centre of waste hole	f ₂	320	320	310 mm
Diameter of overflow hole	f ₈	∅ 52	∅ 52	∅ 52 mm
Diameter of waste hole	f ₉	∅ 52	∅ 52	∅ 52 mm
Distance bath edge (foot end) to start of grip	g ₁	534	584	635 mm
Distance bath edge (foot end) to end of grip	g ₂	809	859	909 mm
Distance foot end of bath edge to centre of foot	h ₂	445	452.5	450 mm
Distance between the feet	h ₄	555	600	740 mm
Width of feet max.	h ₆	380	380	380 mm
External radius	r ₁	23	23	23 mm
Water volume		61	72	86 l
Net weight		41	45	47 kg
Diameter of anti-slip		∅ 288	∅ 288	∅ 288 mm
Full anti-slip		600 x 220	600 x 220	850 x 240 mm

Subject to technical alterations, tolerances and errors. Similar illustrations.
** 70 litres displacement on average.

KALDEWEI

	Model Order No.	Dimensions mm		Delivery Times
EUROWA WITH OVERFLOW				
WITH OVERFLOW CHROME	01-310-06	1500 x 700 x 380		Stocked Item
WITH OVERFLOW WHITE	01-310-06W	1500 x 700 x 380		
WITH OVERFLOW MATT BLACK	01-310-06MB	1500 x 700 x 380		
WITH MULTIFILLER CHROME	01-310-A6	1500 x 700 x 380		
WITH MULTIFILLER WHITE	01-310-A6W	1500 x 700 x 380		
WITH MULTIFILLER MATT BLACK	01-310-A6MB	1500 x 700 x 380		
WITH OVERFLOW CHROME	01-311-06	1600 x 700 x 380		
WITH OVERFLOW WHITE	01-311-06W	1600 x 700 x 380		
ITH OVERFLOW MATT BLACK	01-311-06MB	1600 x 700 x 380		
WITH MULTIFILLER CHROME	01-311-A6	1600 x 700 x 380		
WITH MULTIFILLER WHITE	01-311-A6W	1600 x 700 x 380		
WITH MULTIFILLER MATT BLACK	01-311-A6MB	1600 x 700 x 380		
WITH OVERFLOW CHROME	01-312-06	1700 x 700 x 380		
WITH OVERFLOW WHITE	01-312-06W	1700 x 700 x 380		
ITH OVERFLOW MATT BLACK	01-312-06MB	1700 x 700 x 380		
WITH MULTIFILLER CHROME	01-312-A6	1700 x 700 x 380		
WITH MULTIFILLER WHITE	01-312-A6W	1700 x 700 x 380		
WITH MULTIFILLER MATT BLACK	01-312-A6MB	1700 x 700 x 380		
Leg System For All The Above Models	01-5039			

INCLUDES: Overflow and Waste Fittings.

OPTIONS:	Model Order No.			Delivery Times
SOUND WAVE Audio System	01-6801			Stocked Item
Sound Pads	01-5001			Stocked Item
Anti-Slip				14 - 16 Weeks
Full Anti-Slip				
Grip UNIVERSAL Type A (2 Grips), chrome Note: Handle position as per specification	01-5876C			
Bath Handle Drilling (1 Handle/2 Holes)	22-DBH			2 - 4 Weeks

➤ Multipoint Spa Hydrotherapy Systems and Air Spa Systems Available for this model. See options on page 5.

WASHBASIN COLOUR & STYLE

COLOUR OVERVIEW FOR WASHBASINS

	CPG (I)	Sanitary Colours (II, III)				Coordinated Colours (IV)																	
	alpine white	bahama beige	maahattan	pergamon	black	alpine white matt	warm beige 20	warm beige 40	warm grey 10	warm grey 30	warm grey 50	warm grey 60	warm grey 70	warm grey 80	warm grey 85	warm grey 90	cool grey 30	cool grey 40	cool grey 70	cool grey 80	cool grey 90	black matt 100	
CAYONO	Colour code 0001																						
CENTRO	Colour code 0001	Colour code 0630	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661	Colour code 0668			Colour code 0671						Colour code 0663	Colour code 0665			Colour code 0667	Colour code 0676	
CLASSIC	Colour code 0001	Colour code 0630	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661	Colour code 0668			Colour code 0671						Colour code 0663	Colour code 0665			Colour code 0667	Colour code 0676	
CONO	Colour code 0001	Colour code 0630	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661	Colour code 0668			Colour code 0671						Colour code 0663	Colour code 0665			Colour code 0667	Colour code 0676	
MING	Colour code 0001	Colour code 0630	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661	Colour code 0668			Colour code 0671						Colour code 0663	Colour code 0665			Colour code 0667	Colour code 0676	
MIENA	Colour code 0001	Colour code 0630	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661	Colour code 0668			Colour code 0671						Colour code 0663	Colour code 0665			Colour code 0667	Colour code 0676	
PURO	Colour code 0001	Colour code 0630	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661	Colour code 0668			Colour code 0671						Colour code 0663	Colour code 0665			Colour code 0667	Colour code 0676	
SILENIO	Colour code 0001	Colour code 0630	Colour code 0199	Colour code 0231	Colour code 0701	Colour code 0711	Colour code 0661	Colour code 0668			Colour code 0671						Colour code 0663	Colour code 0665			Colour code 0667	Colour code 0676	

The colours shown are merely indicative and may differ from the real colours due to the printing technology.

TREND COLOURS FOR MIENA MODEL 3180 & 3181 (SEASONAL)

MIENA ONLY FOR MODELS 3180 AND 3181	TREND COLOURS (IV)			
		Navyblue matt	Deep Dream	Soft Touch
	Colour code 0677	Colour code 0678	Colour code 0679	Colour code 0680

HOW TO ORDER COLOUR

1. CHOOSE YOUR BASIN


- From this pricelist or on our website, www.bathe.net.au.

2. SELECT YOUR COLOUR

- Check the chart above to ensure the desired colour is available for the selected item.

3. PRODUCT CODE FOR ORDERING

- Colour code:



- Check the above chart for the appropriate colour code; the colour code must be added to the bath code.

- e.g. Miena Washbowl 450mm diameter, colour Pergamon: 01-3180-0231K

4. PLACING THE ORDER


- Non-stocked colours are special orders, therefore may not be cancelled. Delivery is approximately 14 - 16 Weeks.

➤ Any questions, our experienced team are happy to help. Please contact Bathe on 02 9509 0000 or sales@bathe.net.au.

The colours shown are merely indicative and may differ from the real colours due to printing technology. Subject to technical alterations, tolerances and errors. Similar illustrations.

CENTRO UNDERCOUNTER WASHBASIN

- fusion of minimalism and simple elegance
- luxurious look – integrates perfectly both in modern and traditional bathroom settings
- circle taken as the basic shape echoes in the perfectly integrated enamelled waste
- matching counterpart to the CENTRO DUO bath range
- designed by Anke Salomon




Model No.		3059	3060
External length	a_1	610	910 mm
Internal length	a_5	559	859 mm
External width	b_1	380	380 mm
Internal width	b_5	330	330 mm
Distance basin surface to bottom edge of waste hole	c_{12}	112	112 mm
Distance rear edge to centre of waste hole	f_5	190	190 mm
Radius of washbasin corner	o_{10}	190	190 mm
Net weight		7	9 kg

	Model Order No.	Dimensions mm	alpine white (I)	alpine matt white (IV)	Colour (II, III)	Colour (IV)
CENTRO UNDERCOUNTER WASHBASIN with easy-clean finish and sound insulation without overflow with Free-Flow waste NO TAP HOLE	01-3059-K	610 x 380				
DELIVERY			Stocked Item	Stocked Item	14 - 16 Weeks	14 - 16 Weeks
NO TAP HOLE	01-3060-K	910 x 380				
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks	14 - 16 Weeks

➤ For available colours and details on how to order, see page 88.

CONO UNDERCOUNTER WASHBASIN

- washbasin with premium character exudes elegance and harmony
- optimally integrated enamelled waste accentuates the underlying geometry of the washbasin
- perfectly complements the CONO range




Model No.		3078	3087	3088
External length	a ₁	470	569	869 mm
Internal length	a ₅	432	532	832 mm
External width	b ₁	381	382	382 mm
Internal width	b ₅	348	348	348 mm
Distance basin surface to bottom edge of waste hole	c ₁₂	112	112	112 mm
Distance rear edge to centre of waste hole	f ₅	191	191	191 mm
Net weight		5	7	9 kg

	Model Order No.	Dimensions mm	alpine white (I)	Colour (II, III)	Colour (IV)
CONO UNDERCOUNTER WASHBASIN with easy-clean finish and sound insulation enamelled on both sides without overflow with Free-Flow waste					
NO TAP HOLE	01-3078-K	470 x 381			
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks
NO TAP HOLE	01-3087-K	569 x 382			
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks
NO TAP HOLE	01-3088-K	869 x 382			
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks

► For available colours and details on how to order, see page 88.

MIENA WASHBOWL

- premium products redefine the concept of sophisticated minimalism
- iconic in bathroom design: ideal for combination with elegant fittings
- versatile combination with bathtubs and shower surfaces designed for a “perfect match”
- made of KALDEWEI steel enamel – resilient and durable material matched perfectly to the design
- designed by Anke Salomon





Model No.		3180	3181
Distance basin surface to bottom edge of waste hole	c ₁₂	122	122 mm
External diameter	d ₇	Ø 450	Ø 380 mm
Net weight		7	6 kg

	Model Order No.	Dimensions mm	alpine white (I)	alpine matt white (IV)	black matt 100 (IV)	Colour (II, III)	Colour (IV)
MIENA WASHBOWL with easy-clean finish enamelled on both sides without overflow with Free-Flow waste							
NO TAP HOLE	01-3181-K	Ø 380					
DELIVERY			Stocked Item	Stocked Item	Stocked Item	14 - 16 Weeks	14 - 16 Weeks
NO TAP HOLE	01-3180-K	Ø 450					
DELIVERY			Stocked Item	Stocked Item	Stocked Item	14 - 16 Weeks	14 - 16 Weeks

➤ For available colours and details on how to order, see page 88.

MIENA WASHBOWL

- premium products redefine the concept of sophisticated minimalism
- iconic in bathroom design: ideal for combination with elegant fittings
- versatile combination with bathtubs and shower surfaces designed for a “perfect match”
- made of KALDEWEI steel enamel – resilient and durable material matched perfectly to the design
- designed by Anke Salomon




Model No.		3184	3185
External length	a_1	400	580 mm
External width	b_1	400	380 mm
Distance basin surface to bottom edge of waste hole	$c_{1,2}$	119	119 mm
Distance rear edge to centre of waste hole	f_3	200	190 mm
Net weight		6	8 kg

	Model Order No.	Dimensions mm	alpine white (I)	Colour (II, III)	Colour (IV)
MIENA WASHBOWL with easy-clean finish enamelled on both sides without overflow with Free-Flow waste					
NO TAP HOLE	01-3184-K	400 x 400			
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks
NO TAP HOLE	01-3185-K	580 x 380			
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks

➤ For available colours and details on how to order, see page 88.

MING WASHBOWL

- premium products redefine the concept of sophisticated minimalism
- harmony of tradition and modernity in a perfect way
- iconic in bathroom design: ideal for combination with elegant fittings
- luxurious bathroom design through generous comfort
- made of Kaldewei steel enamel



Model No.		3186
Depth inside	c ₁	140 mm
Distance basin surface to bottom edge of waste hole	c _{1,2}	154 mm
External diameter	d ₇	400 mm
Net weight		6 kg


	Model Order No.	Dimensions mm				Delivery Times
<p>MING WASHBOWL</p> <p>with easy-clean finish enamelled on both sides without overflow</p> <p>NO TAP HOLE</p>	01-3186	Ø 400				14 - 16 Weeks

OPTIONS:	Model Order No.	Dimensions mm				Delivery Times
<p>BATHE Basin Pop-Up Plug and Waste</p> <p>Chrome White Matt Black Brushed Gold Brushed Black Chrome</p>	<p>23-BW106CHR 23-BW106WH 23-BW106MB 23-BW106BG 23-BW106BBLK</p>	<p>Ø 32 Ø 32 Ø 32 Ø 32 Ø 32</p>				Stocked Item

➤ For available colours and details on how to order, see page 88.

CLASSIC UNDERCOUNTER WASHBASIN

- elegant and timeless design
- flowing interior shape allows simple and effective unity with your chosen vanity unit or console
- maximised space is achieved for your bathroom accessories and fittings
- perfect match with CLASSIC range
- made of KALDEWEI steel enamel



Model No.		3182	3183
Distance basin surface to bottom edge of waste hole	c_{12}	157	137 mm
External diameter	d_7	Ø 491	Ø 432 mm
Inner diameter top	d_8	Ø 420	Ø 360 mm
Distance rear edge to centre of waste hole	f_5	246	216 mm
Net weight		7	7 kg


	Model Order No.	Dimensions mm	alpine white (I)	Colour (II, III)	Colour (IV)
CLASSIC UNDERCOUNTER WASHBASIN with easy-clean finish and sound insulation enamelled on both sides with overflow					
NO TAP HOLE	01-3183	Ø 360			
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks
NO TAP HOLE	01-3182	Ø 420			
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks

OPTIONS:	Model Order No.	Dimensions mm		Delivery Times
KALDEWEI Basin Overflow Cover White	01-3920-0001			
BATHE Basin Pop-Up Plug and Waste Chrome White Matt Black Brushed Gold Brushed Black Chrome	23-BW106CHR 23-BW106WH 23-BW106MB 23-BW106BG 23-BW106BLK	Ø 32 Ø 32 Ø 32 Ø 32 Ø 32		Stocked Item

➤ For available colours and details on how to order, see page 88.

CAYONO WASHBOWL

- comfortable spaciousness thanks to the generous interior depth
- puristic design completed by softly curved surfaces
- generous radii make cleaning particularly easy
- made of Kaldewei steel enamel




Model No.		3188
External length	a ₁	520 mm
External width	b ₁	355 mm
Distance basin surface to bottom edge of waste hole	c ₁₂	151 mm
Distance rear edge to centre of waste hole	f ₅	178 mm
Net weight		11 kg

	Model Order No.	Dimensions mm	Delivery Times
<p>CAYONO WASHBOWL</p> <p>enamelled on both sides without overflow</p> <p>NO TAP HOLE</p>	01-3188	520 x 355 x 151	Stocked Item
OPTIONS:	Model Order No.	Dimensions mm	Delivery Times
<p>BATHE Basin Pop-Up Plug and Waste</p> <p>Chrome</p> <p>White</p> <p>Matt Black</p> <p>Brushed Gold</p> <p>Brushed Black Chrome</p>	<p>23-BW106CHR</p> <p>23-BW106WH</p> <p>23-BW106MB</p> <p>23-BW106BG</p> <p>23-BW106BBLK</p>	<p>Ø 32</p> <p>Ø 32</p> <p>Ø 32</p> <p>Ø 32</p> <p>Ø 32</p>	Stocked Item

CAYONO UNDERCOUNTER WASHBASIN

- comfortable spaciousness thanks to the generous interior depth
- puristic design completed by softly curved surfaces
- generous radii make cleaning particularly easy
- made of KALDEWEI steel enamel




Model No.		3190
External length	a ₁	596 mm
Internal length	a ₅	562 mm
External width	b ₁	426 mm
Internal width	b ₅	396 mm
Distance basin surface to bottom edge of waste hole	c ₁₂	173 mm
Distance rear edge to centre of waste hole	f ₅	213 mm
Net weight		8 kg

	Model Order No.	Dimensions mm	Delivery Times
<p>CAYONO UNDERCOUNTER WASHBASIN</p> <p>with sound insulation with overflow</p> <p>NO TAP HOLE</p>	01-3190	596 x 426 x 173	Stocked Item
OPTIONS:	Model Order No.	Dimensions mm	Delivery Times
<p>BATHE Basin Pop-Up Plug and Waste</p> <p>Chrome</p> <p>White</p> <p>Matt Black</p> <p>Brushed Gold</p> <p>Brushed Black Chrome</p>	<p>23-BW106CHR</p> <p>23-BW106WH</p> <p>23-BW106MB</p> <p>23-BW106BG</p> <p>23-BW106BBLK</p>	<p>Ø 32</p> <p>Ø 32</p> <p>Ø 32</p> <p>Ø 32</p> <p>Ø 32</p>	Stocked Item

PURO WALL-HUNG HANDBASIN

- elegant rectangular washbasin in a classically minimalist design
- reduced precise edges
- very generous interior dimensions
- clean and timeless lines – immortalised in long-lasting KALDEWEI steel enamel
- harmonises perfectly with the PURO bath series
- designed by Anke Salomon



Model No.		3162
External length	a ₁	550 mm
Internal length	a ₅	434 mm
External width	b ₁	300 mm
Internal width	b ₅	269 mm
Height of rim	c ₄	100 mm
Distance basin surface to bottom edge of waste hole	c ₁₂	105 mm
Distance rear edge to centre of waste hole	f ₅	314 mm
Depth of tap deck	l ₁	97 mm
Distance tap hole to edge	l ₂	45 mm
Diameter of centre tap hole	l ₃	∅ 35 mm
Distance FF to top edge basin surface	m ₁	820 - 850 mm
Distance FF to bottom edge	m ₂	720 - 750 mm
Distance FF to centre of water inlet	m ₃	570 - 600 mm
Distance FF to centre of waste hole wall connection	m ₄	520 - 580 mm
Distance bottom edge to centre of fixing hole	m ₅	65 mm
Internal distance of fixing holes	n ₂	280 mm
Distance hot/cold water inlet	n ₃	80 - 150 mm
Net weight		8 kg


	Model Order No.	Dimensions mm	alpine white (I)	Colour (II, III)	Colour (IV)
PURO WALL-HUNG HANDBASIN with easy-clean finish and sound insulation enamelled on both sides without overflow	1 TAP HOLE LEFT	550 x 300			
	1 TAP HOLE RIGHT	550 x 300			
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks
NO TAP HOLE	01-3162-NTH	550 x 300			
DELIVERY			12-14 Weeks	14 - 16 Weeks	14 - 16 Weeks

OPTIONS:	Model Order No.	Dimensions mm			Delivery Times
BATHE Basin Pop-Up Plug and Waste					
Chrome	23-BW106CHR	∅ 32			Stocked Item
White	23-BW106WH	∅ 32			
Matt Black	23-BW106MB	∅ 32			
Brushed Gold	23-BW106BG	∅ 32			
Brushed Black Chrome	23-BW106BBLK	∅ 32			

➤ For available colours and details on how to order, see page 88.

PURO COUNTERTOP WASHBASIN

- elegant rectangular washbasin in a classically minimalist design
- reduced precise edges
- very generous interior dimensions
- clean and timeless lines – immortalised in long-lasting KALDEWEI steel enamel
- harmonises perfectly with the PURO bath series
- designed by Anke Salomon



Model No.		3157
External length	a ₁	600 mm
Internal length	a ₅	561 mm
External width	b ₁	460 mm
Internal width	b ₅	354 mm
Height of rim	c ₄	120 mm
Distance basin surface to bottom edge of waste hole	c ₁₂	125 mm
Distance rear edge to centre of waste hole	f ₅	268 mm
Depth of tap deck	l ₁	91 mm
Distance tap hole to edge	l ₂	45 mm
Distance external tap holes (for 3 tap holes)	l ₃	200 mm
Diameter of centre tap hole	l ₉	∅ 35 mm
Diameter of outside tap hole (for 3 tap holes only)	l ₁₀	∅ 30 mm
Net weight		13 kg


	Model Order No.	Dimensions mm	alpine white (I)	Colour (II, III)	Colour (IV)
PURO COUNTERTOP WASHBASIN with easy-clean finish and sound insulation enamelled on both sides with overflow 1 TAP HOLE	01-3157-1TH	600 x 460			
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks
NO TAP HOLE 3 TAP HOLE	01-3157-NTH 01-3157-3TH	600 x 460 600 x 460			
DELIVERY			12-14 Weeks	14 - 16 Weeks	14 - 16 Weeks

OPTIONS:	Model Order No.	Dimensions mm			Delivery Times
KALDEWEI Basin Overflow Cover White	01-3920-0001				
BATHE Basin Pop-Up Plug and Waste Chrome White Matt Black Brushed Gold Brushed Black Chrome	23-BW106CHR 23-BW106WH 23-BW106MB 23-BW106BG 23-BW106BBLK	∅ 32 ∅ 32 ∅ 32 ∅ 32 ∅ 32			Stocked Item

➤ For available colours and details on how to order, see page 88.

PURO UNDERCOUNTER WASHBASIN

- elegant rectangular washbasin in a classically minimalist design
- reduced precise edges
- very generous interior dimensions
- clean and timeless lines – immortalised in long-lasting KALDEWEI steel enamel
- harmonises perfectly with the PURO bath series
- designed by Anke Salomon



Model No.		3159	3160	3161
External length	a ₁	460	600	900 mm
Internal length	a ₅	421	561	860 mm
External width	b ₁	385	385	385 mm
Internal width	b ₅	354	354	354 mm
Distance basin surface to bottom edge of waste hole	c _{1,2}	115	125	125 mm
Distance rear edge to centre of waste hole	f ₅	193	193	193 mm
Net weight		5	6	9 kg


	Model Order No.	Dimensions mm	alpine white (I)	alpine matt white (IV)	Colour (II, III)	Colour (IV)
PURO UNDERCOUNTER WASHBASIN with easy-clean finish and sound insulation enamelled on both sides with overflow						
NO TAP HOLE	01-3159	460 x 385				
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks	14 - 16 Weeks
NO TAP HOLE	01-3160	600 x 385				
DELIVERY			Stocked Item	Stocked Item	14 - 16 Weeks	14 - 16 Weeks
NO TAP HOLE	01-3161	900 x 385				
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks	14 - 16 Weeks

OPTIONS:	Model Order No.	Dimensions mm		Delivery Times
KALDEWEI Basin Overflow Cover White	01-3920-0001			
BATHE Basin Pop-Up Plug and Waste Chrome White Matt Black Brushed Gold Brushed Black Chrome	23-BW106CHR 23-BW106WH 23-BW106MB 23-BW106BG 23-BW106BBLK	∅ 32 ∅ 32 ∅ 32 ∅ 32 ∅ 32		Stocked Item

➤ For available colours and details on how to order, see page 88.

SILENIO UNDERCOUNTER WASHBASIN

- fluid and sensually modern design all at once
- optimum comfort through generous dimensioning of the washbasin
- soft, organic interior shape
- geometry allows fittings with short spout leaving ample space for washing
- together with the SILENIO bath and SCONA shower surface, they form a perfect bathroom fitted out entirely with steel enamel
- designed by Anke Salomon



Model No.		3047	3048
External length	a ₁	634	934 mm
Internal length	a ₅	594	894 mm
External width	b ₁	391	391 mm
Internal width	b ₅	353	353 mm
Distance basin surface to bottom edge of waste hole	c ₁₂	123	123 mm
Distance rear edge to centre of waste hole	f ₅	188	188 mm
Net weight		5	8 kg

	Model Order No.	Dimensions mm	alpine white (I)	Colour (II, III)	Colour (IV)
SILENIO UNDERCOUNTER WASHBASIN with easy-clean finish and sound insulation enamelled on both sides without overflow	NO TAP HOLE	01-3047-NTH	634 x 391		
	NO TAP HOLE	01-3048-NTH	934 x 391		
DELIVERY			Stocked Item	14 - 16 Weeks	14 - 16 Weeks

OPTIONS:	Model Order No.	Dimensions mm			Delivery Times
BATHE Basin Pop-Up Plug and Waste Chrome White Matt Black Brushed Gold Brushed Black Chrome	23-BW106CHR 23-BW106WH 23-BW106MB 23-BW106BG 23-BW106BBLK	Ø 32 Ø 32 Ø 32 Ø 32 Ø 32			Stocked Item

➤ For available colours and details on how to order, see page 88.

ACCESSORIES


SOUND WAVE AUDIO SYSTEM

- Innovative sound audio system
- Bath acts as sound box
- Good audio quality due to perfectly tuned technology
- Extraordinary sound above and under water
- Immersive musical experience
- Very easy to operate using your Bluetooth®-enabled device
- Perfect for the family. Wireless connection for up to 8 devices
- Operation via Bluetooth®.

The SOUND WAVE complies with Bluetooth® specification 3.0.

The system supports the following profile: Advanced Audio Distribution (A2DP) 1.0.

- SOUND WAVE automatically switches to stand by after disconnection
- Only suitable for KALDEWEI baths.
- Not suitable for spa baths.



THE INNOVATIVE BATH AUDIO SYSTEM.

Relaxation and wellness belong to a lifestyle. Just as well-being is invigorating for body and soul. So, what better way to relax than with music? With SOUND WAVE, KALDEWEI offers an innovative audio system that uses the bath as a sound box to create exceptional sounds –with or without water. The SOUND WAVE components, including

Bluetooth® receiver, are concealed under the bath. The set comprises six acoustic panels, a control box with power cable, and 2 transducers. Experience the extraordinary sound under water and escape from everyday life – with SOUND WAVE.



SOUND WAVE Audio System
The SOUND WAVE Audio System system is available for all KALDEWEI baths (except baths with installed SPA systems).

Model
Order No.

SOUND WAVE Audio System

01-6801

The following bath is not compatible with the SOUND WAVE Audio System system: 232-7
Bluetooth is a registered brand of Bluetooth SIG Inc.

ACCESSORIES

MULTIFUNCTIONAL CUSHIONS

- can be used as foot, neck or arm rest
- foot rest: keeps you from sliding down in larger baths
- below the thighs: keeps you from sliding down in larger baths
- neck rest: comfortable support for head and neck
- arm rest: gives you a place to rest your arms when placed at the sides of the bath
- available in two colours
- set of two cushions
- size 35 x 12 x 5 cm



MULTIFUNCTIONAL CUSHIONS	Order No.		Delivery Time
Set with two cushions, grey	01-68767577		Stocked Item
Set with two cushions, off-white	01-68767576		Stocked Item

BATH CUSHION

- cushion made of flexible, soft material that adapts to the shape of the neck and bathtub
- hardness of the filled cushion adjustable by means of a valve
- skin-friendly, machine washable fabric cover; practical hanging loop sewn inside for drying
- size: 50 x 30 cm



BATH CUSHION	Order No.		Delivery Time
Grey cover	01-68767583		Stocked Item

Subject to technical alterations, tolerances and errors. Similar illustrations.

KALDEWEI





INFLOW AND OUTFLOW TECHNOLOGY

VIEGA Bath Fittings *Multifiller installation kit included.	Model Compatibility	Model Order No.			Delivery Time
Viega Waste and Overflow Kit CHROME	PLAZA DUO, CLASSIC DUO DYNA SET, PURO, SILENIO CAYONO, SANIFORM EUROWA	10-616202			Stocked Item
Viega Waste and Overflow Kit WHITE		10-616201			
Viega Waste and Overflow Kit MATT BLACK		10-616203			
Viega Multifiller*, Waste and Overflow CHROME		10-616102			
Viega Multifiller*, Waste and Overflow WHITE		10-616101			
Viega Multifiller*, Waste and Overflow MATT BLACK		10-616103			
Viega Waste and Overflow Finish Set CHROME WHITE MATT BLACK		10-721244 10-735883 10-806118			Stocked Item
Viega Multifiller, Waste and Overflow Finish Set CHROME WHITE MATT BLACK		10-725785 10-725815 10-806125			Stocked Item
Viega Plug & Screw CHROME WHITE		10-215392 10-90024212			Stocked Item
KALDEWEI Bath Fittings *Multifiller installation kit not included.	Model Compatibility	Model Order No.			Delivery Time
Special Waste and Overflow with enamelled waste cover and overflow knob	ASYMMETRIC DUO	01-4060			14 - 16 Weeks
Special Multifiller*, Waste & Overflow with enamelled waste cover and overflow knob		01-4061			
Special Waste and Overflow with enamelled waste cover and overflow knob	CENTRO DUO, ELLIPSO DUO	01-4040			Stocked Colour alpine white
Special Multifiller*, Waste & Overflow with enamelled waste cover and overflow knob		01-4041			
Special Waste and Overflow with enamelled waste cover and overflow knob	CONODUO, INCAVA	01-4080			14 - 16 Weeks for all other colours
Special Multifiller*, Waste & Overflow with enamelled waste cover and overflow knob		01-4081			
Multifiller Installation Kit		Model Order No.			Delivery Time
Multifiller Installation Kit - Includes hose and dual check valve		22-MIK0011			Stocked Item
BATHE Bath Pop-Up Plug and Waste	Model Compatibility	Model Order No.			Delivery Time
Bath Pop-Up Plug and Waste CHROME, Ø 40 mm	SANIFORM NO OVERFLOW EUROWA NO OVERFLOW	23-BW110CHR			Stocked Item
KALDEWEI Basin Fittings	Model Compatibility	Model Order No.			Delivery Time
Free-Flow Waste with Enamelled Round Cover	CENTRO MIENA ROUND	01-3904			Stocked Colours: alpine white alpine white matt black matt 100 14 - 16 Weeks for all other colours
Free-Flow Waste with Enamelled Square Cover	CONO MIENA SQUARE	01-3905			
KALDEWEI Basin Overflow Cover WHITE	CLASSIC, PURO, SILENIO	01-3920-0001			Stocked Item
BATHE Basin Pop-Up Plug and Waste	Model Compatibility	Model Order No.			Delivery Time
CHROME, Ø 32 mm WHITE, Ø 32 mm MATT BLACK, Ø 32 mm BRUSHED GOLD, Ø 32 mm BRUSHED BLACK CHROME, Ø 32 mm	CLASSIC, PURO, SILENIO	23-BW106CHR 23-BW106WH 23-BW106MB 23-BW106BG 23-BW106BBLK			Stocked Item
BATHE Shower Floor Waste	Model Compatibility	Model Order No.			Delivery Time
Hi-Flow Waste and Cover WHITE, Ø 90 mm	SCONA, SUPERPLAN CAYONOPLAN	23-810		<ul style="list-style-type: none"> Designed for mains pressure shower Water flow capacity of 67 l/m Removable lid for easy cleaning Hard-wearing materials Complies with AS2887 	Stocked Item
Hi-Flow Waste and Cover CHROME, Ø 90 mm		23-811			Stocked Item

INSTALLATION AIDS

Bath Wall Anchors		Model Order No.		Delivery Time
Sound-Proofed Set with 2 Pieces		01-7513		Stocked Item
Sound Absorbing Pads		Model Order No.		Delivery Time
350 x 175 mm Set with 4 Pieces		01-5001		Stocked Item

REPAIR AIDS

Enamel Set		Model Order No.		Delivery Time
Alpine White		01-013		Stocked Item
Enamel Pen		Model Order No.		Delivery Time
12 ml Alpine White Alpine White Matt		01-014 01-014-0711		Stocked Item Stocked Item
Cleaning Eraser		Model Order No.		Delivery Time
		01-015		Stocked Item
Enamel Cleaning Cream		Model Order No.		Delivery Time
100 ml		01-016		Stocked Item

KALDEWEI GENERAL INFORMATION

Cancellation of an order is not accepted after 24 hours of placement of order or if goods have been despatched earlier.

Email: orders@bathe.net.au

FIS DELIVERY AREAS All goods are delivered free into store.
Deliveries to some Regional areas may incur additional freight charges; these must be determined at the time of order

PRICING Pricing in this pricelist is recommended pricing only. Prices on orders and quotes are valid for 30 days. Any orders or quotes aged past 30 days may be subject to subsequent price increases.

MINIMUM ORDER VALUE A surcharge of \$16.50 (incl. GST) will apply to all orders where the invoice price is less than \$110 (incl. GST).

TECHNICAL SPECIFICATIONS Whilst all care has been taken to ensure the technical accuracy of this pricelist, continual product development may result in changes to these specifications without notice.

WARRANTY Subject to the terms and conditions below, all KALDEWEI BATHS and shower floors, **excluding all Eurowa model bathtubs**, are covered by warranty against defects in materials or workmanship for **30 YEARS** from the date of purchase, when used in normal domestic applications. Customers must retain copy of purchase receipt and return goods to Bathe to obtain warranty service. This warranty excludes any defect or injury caused by or resulting from misuse, abuse or neglect, accidental damage, improper installation or other alterations or modifications, which affect the reliability or performance of the unit not attributable to faulty manufacture. Any product plated after purchase voids all product warranties. The full warranty applicable is available on our website www.bathe.net.au and may be amended from time to time without notice.

RETURN OF GOODS

1. Non-standard or non-stock items will not be accepted for return. This includes Multipoint and AIR Spas.
2. Non-Stocked Items and items with 10-14 week delivery have a cooling off period of 24 hours after which the item cannot be cancelled.
3. All return of goods must be approved by the Bathe Account Manager of your area.
4. On approval of the return a 'Return Authority' will be sent to the customer and **MUST** be attached to the products being returned.
5. Goods must be returned in the original undamaged packaging and in re-saleable condition.
6. Return freight is the responsibility and at the cost of the customer. Any goods returned that are damaged in transit will not be credited. Any missing items will be deducted from the credit amount.
7. A re-stocking fee of 15% will apply to all returns.
8. Invoices relating to goods being returned are due and payable as per the customers trading terms and credit adjustments are processed upon receipt and acceptance of the returned goods only.

BATHE TERMS AND CONDITIONS OF SALE

Terms and conditions of sale are available on the Bathe website and may be amended from time to time without notice.

KALDEWEI

AUSTRALIAN DISTRIBUTOR

bathe
world's finest bathroomware

BATHROOM COLLECTIVE